

Georgia Institute of Technology School of Mechanical Engineering Atlanta, Georgia


PREDICTION OF CRYOGENIC HEAT PIPE PERFORMANCE


Final Report

Prepared for the
National Aeronautics and Space Administration
under
Grant NSG-2054

Prepared by Gene T. Colwell, Professor

March 31, 1977





Georgia Institute of Technology
School of Mechanical Engineering
Atlanta, Georgia
30332

NASA Grant NSG-2054 Final Report March 31, 1977

Approved:

S. P. Kezios, Director

School of Mechanical Engineering

Gene T. Colwell

Principal Investigator

ACKNOWLEDGEMENTS

The author wishes to express his gratitude to Stan Ollendorf of the Goddard Space Flight Center for continued encouragement and advice over the past two years. In addition Al Sherman of the Goddard Space Flight Center and Craig McCreight of the Ames Research Center contributed greatly to the project.

·		
	,	

SUMMARY

This report describes work performed in the School of Mechanical Engineering at the Georgia Institute of Technology under NASA grant NSG-2054. The project was started in January of 1975 and completed in March of 1977. Two M.S. theses [8,28], which are directly related to the project, have been published and it is expected that at least one paper will be published in a technical journal as a result of work performed under the grant.

The main goal of the work has been to study theoretically the transient behavior of very low temperature heat pipes. A powerful technique has been developed for predicting transient three dimensional temperature distributions and heat fluxes for heat pipes operating under a wide variety of conditions. Radiating, conducting, and convecting external environments can be handled. In addition, startup from the supercritical state can be accommodated.

		•	
		·	
1			

TABLE OF CONTENTS

	Pag
A C KN	OWLEDGEMENTS
SUMM	ARY
LIST	OF TABLES
LIST	OF ILLUSTRATIONS
NOME	NCLATURE
Ι.	INTRODUCTION
	A. Statement of ProblemB. BackgroundC. Literature Survey
II.	THEORETICAL DEVELOPMENT
	 A. Description of Digital Model B. Solution Methods C. Fluid Dynamic Effects D. Logic Solution E. Description of Analog Model
III.	RESULTS AND COMPARISONS
IV.	CONCLUSIONS AND RECOMMENDATIONS
APPEN	DICES
Α.	TRANSFORMATION OF COORDINATE SYSTEMS 61
В.	THERMODYNAMIC PROPERTY
С.	WICK-WALL INTERFACE NODES
D.	COMPUTER CODE 69
Ε.	DISCUSSION OF STABILITY AND ACCURACY OF NUMERICAL TECHNIQUES

	Page
F. CALCULATION OF THERMAL CONDUCTIVITY	. 88
G. ANALOG SCALING	. 90
H. DERIVATION OF EXPONENTIAL MODEL	. 92
REFERENCES	. 93
DISTRIBUTION	

LIST OF ILLUSTRATIONS

Figure		Page
1.	General Layout of Heat Pipe	10
2.	Closeup of Composite Slab and Circumferential Wick at Heat Transfer Section	11
3.	Capillary Structure	12
4.	Heat Pipe Model	13
5.	Computation Grid and Boundary Conditions	21
6.	Cooling Jacket Used in Model	24
7.	Model of Fluid Flow in Slab	25
8.	Flow Diagram of Computer Program	29
9.	Schematic Diagram of Analog Model	34
10.	Analog Circuit	35
11.	Comparison of Model with Experimental Data from the Literature	38
12.	Comparison of Exponential, Analog and Digital Models for Heat Pipe with Cooling Jacket	40
13.	Comparison of Analog and Digital Model for Case 1	42
14.	Effect of Changing Wall Thickness	44
15.	Effect of Changing Number of Wick Layers	45
16.	Effect of Changing Thickness of Fluid Gap	46
17.	Effect of Changing Slab Compositions	47
18.	Comparison of Startup at Different Power Levels.	48
19.	Comparison of Startup at Different Temperatures.	50

Figure			P	age
20.	Development of Overall Temperature Gradients.		•	51
21.	Comparison of Heat Pipe Response with Cooling Jacket or Radiating Surface Heat Sink		•	5 2
22.	Response of Radiating Heat Sink		•	5 3
23.	Startup from Supercritical		•	54
24.	Comparison of Predicted Fluid Velocity with Data from Literature			5 5
25.	Velocity with Position in Composite Slab	•		57
26.	Polar to Rectangular Transformation			63
27.	Wick-Wall Interface Nodes			67

NOMENCLATURE

A _c	cross-sectional area of slab
Ai	constant coefficient for node i
A_{R}	surface area of radiator
$^{\mathtt{B}}\mathtt{i}$	constant coefficient for node i
c _{CJ}	composite specific heat for cooling jacket
c _f	specific heat of coolant
c_i	constant coefficient for node i
c _p	specific heat of pipe wall
c_R	specific heat of radiator
c_{T}	composite specific heat for total system
c_{V} .	composite specific heat for vapor region
c _w	composite specific heat for screen and fluid gaps
df	distance between filament centers in screen
$D_{\mathbf{i}}$	constant coefficient for node i
^h C	surface coefficient
$^{ m h}$ fg	heat of vaporization of working fluid
Κ̈	effective inverse permeability of slab
Кр	thermal conductivity of pipe wall
K_{W}	thermal conductivity of wick
L	distance from fluid source to fluid front in slab
^ℓ C	condenser length
l _E	evaporator length
m	mass flow rate of working fluid in slab

```
mass of cooling jacket and fluid
^{m}CJ
        mass flow rate of coolant
m f
        mass of radiating heat sink
m_{\overline{R}}
        total mass of heat pipe and cooling jacket
m_{\mathrm{T}}
        total mass of vapor region
\mathsf{m}_{V}
        number of radial nodes in condenser grid
NIC
        number of radial nodes in evaporator grid
NIE
        number of circumferential nodes in evaporator grid
NJE
NKC
        number of axial nodes in condenser grid
        number of axial condenser nodes in adiabatic section
NKA
        number of layers of screen in wick
NL
Qcap
       capillary limited heat transfer rate
\mathsf{Q}_\mathsf{E}
        Heat flux at evaporator surface
\mathbf{Q}_{\text{max}}
        maximum heat transfer rate for scaling analog
        heat flux into radiator from space
Q<sub>space</sub>
        radial coordinate
r
        inner radius of pipe wall
r_{R}
        filament radius in screen
rf
        inner radius of wick
rı
        radius at node i
r,
        outer radius of pipe wall
r_0
        pore radius of screen
rp
SF
        scaling factor for wick nodes
             temperature of node 1, 2, ..., 6 in analog model
        representative time used for scaling analog
tmax
```

```
T_{CJ}
         temperature of cooling jacket
 T_{C}
         temperature of condenser
         temperature of condenser node i,k at time n
 T_{\mathbf{F}}
         temperature of evaporator
         temperature of evaporator node i,j at time n
         incoming temperature of coolant
 T
 Tmin
        minimum temperature for scaling analog
 \mathbf{T}_{\text{max}}
        maximum temperature for scaling analog
 T_R
         temperature of radiator
 T_{V}
        temperature of vapor region
        velocity of fluid in slab
        volume of pipe wall in condenser
v_{pC}
        volume of pipe wall in evaporator
v_{pE}
        volume of wick in condenser
v_{wC}
        volume of wick in evaporator
v_{wE}
        transformed radial coordinate
\mathbf{x}
        transformed circumferential coordinate
У
        axial coordinate
        thermal diffusivity
        width of fluid gap
        finite difference operator
Δ
        emmisivity of radiator
       viscosity of liquid nitrogen
μo
ρρ
       density of liquid nitrogen
       density of pipe wall
       density of wick
Pw
```

- σ Stefan-Boltzman constant
- σ_{ϱ} surface tension of liquid nitrogen
- φ circumferential coordinate in evaporator



LIST OF TABLES

Tab1e							P	age
1.	Dimensions Considered	and Materials of Heat Pipe in this Study	•	•	•	•	•	9
2.	Parameters	for Case Studies						41

		÷		
,				
			•	

I. INTRODUCTION

A. Statement of Problem

Investigations into the performance of cryogenic heat pipes have been in progress at the Georgia Institute of Technology for several years. In continuation of these investigations the goal of this study has been to gain a better understanding of the transient response of cryogenic heat pipes and heat pipe systems. A method for predicting behavior of heat pipes during startup or changes in thermal transport has been developed. Included in the model are provisions for simulating startup from temperatures above the critical point of the working fluid.

B. Background

A heat pipe is a device that transfers large quantities of heat with a relatively small temperature gradient. The containing envelope has an internal wick structure and a liquid in near equilibrium with its vapor phase. The phenomena of conduction and phase change are combined to make high thermal conductance possible. The basic theory, design, and operation of heat pipes are well discussed by Cotter [1], Chisolm [2], and others.

As heat is added to the evaporator of a heat pipe

some of the fluid in the wick evaporates thus increasing the vapor pressure. The increased pressure drives some of the warm vapor to the condenser. The condensing vapor gives up energy which is conducted through the wall and transferred from the heat pipe. Due to evaporation the liquid-vapor interface recedes into the capillary structure and thus decreases the radius of curvature of the meniscus in the heated end. Condensation on the capillary structure at the cool end increases the menisus radius in the condenser. This difference in radii of curvature creates the driving force to pump the liquid back to the evaporator [1].

The heat pipe startup mode described above assumes the vapor density at the ambient temperature is high enough for a continuum flow to exist and that the capillary structure is filled with working fluid. Such startup is referred to as uniform startup by Cotter [3]. A second mode of startup occurs if the vapor pressure is low and molecular flow exists at ambient temperatures. Heating produces a continuum in the evaporator and transition zone between the evaporator and condenser. Often the working fluid is in a frozen state and must melt before startup can occur. This mode takes about two and one half times longer than uniform startup assuming the working fluid is not frozen prior to startup. Non-condensable gases, when present in the vapor space, creates a third mode of startup. During heating the non-condensables are swept into the cold end of the condenser.

This method of startup can be accomplished very quickly or very slowly depending on the quantity of non-condensables present.

At steady state, for some types of capillary structures, that part of the evaporator capillary furthest from the condenser may be dried out. The wick geometry and meniscus radius determine how much of the evaporator is actively working. Colwell and Williams [4] suggested that the axial vapor Reynolds number may determine the length along which condensation actually occurs in the condenser. Assuming a saturated wick before startup the development of these phenomena do affect startup times.

If the heat pipe is at a temperature above the critical point of the working fluid before startup, all of the fluid will be in a single phase supercritical state. Before the evaporation-condensation cycle can begin the fluid must first be cooled below the critical temperature at the cool end. Capillary action will then pump the liquid along the wick back to the evaporator. The velocity of the fluid in the wick is on the order of centimeters per minute [5]. The entire heat pipe must be reflexed before any significant heat transfer can take place.

In the design of a heat pipe system it is important to understand the startup of the system and the response to a change in power level. The parameters affecting transient response of a heat pipe must be determined. The goal of

this project was to develop a technique for predicting the startup and response times for various heat pipes.

C. Literature Survey

The performance of heat pipes in an outer space environment was evaluated by Kirkpatrick and Brennan [6] using the Applications Technology Satellite (ATS-F). They concluded that for space applications heat pipes can be useful temperature control devices. Sherman and Brennan [7] performed a study of low temperature heat pipes for spacecraft uses. Nitrogen and oxygen were determined to be best fluids for operation in the cryogenic temperature range. The composite slab wick was said to be a reliable porous media for present day and projected NASA applications.

Recent work at the Georgia Institute of Technology has been directed to understanding the steady state performance of a heat pipe similar to the one in this study. Hare [8] performed a theoretical study of a performance of a cryogenic heat pipe using nitrogen as the working fluid. Polynomial expressions were developed for predicting the thermal properties as a function of temperature. Mass- and heat-transport equations were combined to give capillary and sonic limitations on the performance of the pipe and the thermal resistances of each heat pipe component. A study was made on the effects of changing the composite slab and wick structure.

Colwell [9] used a similar approach to study the effects

of fluid gaps in the circumferential wick. Partial dryout and vapor Reynolds number effect were added through a simplified approach. The effect of changing wall thickness, number of wick layers and mesh size was also modeled.

A coupled heat transfer diffusion model was used by Saaski [26] to model a gas controlled heat pipe. The device was 45.48 cm long with an inside radius of 1.288 cm and used methanol as the working fluid. Experimental response curves were compared with curves predicted with the model. Agreement is very good, both curves reaching 95 percent of steady state values in about 130 seconds.

In a study of the dynamic behavior of heat pipes Groll, et al. [10] determined that small power variations around the operating point of a heat pipe present no special problems. The discussion is primarily concerned with heat pipes in the 200 K to 500 K temperature range. A one-dimensional model was developed for prediction of heat pipe response and examples of normal startup and startup failure were presented. Groll concluded that the dynamic response of heat pipes can be adequately treated with a simple mathematical model.

Another startup model was developed by Cotter [3].

Linear relationships were found for predicting uniform startup and startup with non-condensable gases present. Various
modes of heat pipe startup are described and mechanisms which
might affect successful startup are discussed. From this
model the response time for most high performance heat pipes

is between 10 and 100 seconds.

Chato and Streckert [5] ran a series of tests with a water heat pipe. The device was 81.9 cm long with an inside diameter of 7.62 cm. Experimental values of maximum heat flux were in the middle of the range predicted by horizontal wicking tests. During normal operation, temperatures in the vapor region did not vary by more than 1/2 C. Attempts to measure transients failed since the heat pipe responded faster than the heating and cooling system. They estimated the response time of the heat pipe at less than twenty seconds.

Smirnov, et al. [11] developed a model for predicting startup of gas controlled heat pipes. Their calculations were in good agreement with experimental results. The dynamic response of buffered and unbuffered heat pipes was modeled by Rice and Azad [12]. Their model agreed with experimental data for a sodium heat pipe and for a water heat pipe.

To operate, a heat pipe must have a source and sink. Any measured response must take the source and sink into account. Should the heat sink radiate the incoming energy a phenomenon referred to by Anand, et al. [13] as temperature choking takes place. The radiating surface must adjust its temperature up or down to be in equilibrium with the incoming energy. This movement in turn forces the heat pipe to adjust its operating temperature. The response of such a system would be different from a system with a condenser bath for cooling.

Calimbas and Hulett [14] ran tests on an avionic heat pipe. The device used water as a working fluid. The inside diameter was 6.35 cm and it was 60.96 cm long. Condenser cooling was accomplished by a forced air heat exchanger. The system took fifteen minutes to adjust to a change in the heater level.

A water heat pipe with a glass bead capillary structure was built and tested by Cosgrove, et al. [15]. Cooling was accomplished by evaporation of methanol. A steady state model was developed consisting of basic mass, energy and momentum balances. Predicted values were in close agreement with experimental results. After a change in power approximately thirty-five minutes were required for the system to reach a steady state.

All of the literature indicates that heat pipes have very small response times. Since the mass of heating and cooling systems is greater than that of a heat pipe they respond more slowly. Transient data from experiments reflect the response time of the heaters and cooling jackets used in the experiments. Any attempt to model such a system must include an accurate model of the heating and cooling apparatus.

II. THEORETICAL DEVELOPMENT

This study is concerned with a cryogenic heat pipe with a composite slab wick. Geometry and physical characteristics were suggested by the sponsoring agency. Dimensions and materials are given in Table 1 and Figure 1. The configuration of the composite slab and wick is shown in Figures 2 and 3.


The response of this heat pipe has been studied on analog and digital computers. A system of nodes is used to develop a set of time dependent equations accounting for the heat capacity of the system. Due to a limited capacity, the nodal system used for the analog model is fairly simple and limited to small transient. The model assumes constant properties and does not include any effects of fluid dynamics. The digital model includes a much finer nodal system and fluid dynamics. Property equations in the program permit the variation of properties with temperature. Both models predict response and temperature profiles for the heat pipe.


A. Description of the Digital Model

For the digital model the heat pipe is broken into its three main parts: evaporator, vapor region, and condenser which includes the adiabatic section. Figure 4 shows the

Table 1. Dimensions and Materials for the Heat Pipe Considered in this Study

Total length	.9144 meters
Length of evaporator	.1524 meters
Length of condenser	.3048 meters
Length of adiabatic section	.4572 meters
Outside diameter of pipe	.635 centimeters
Wall thickness	.1015 centimeters
Working fluid	Nitrogen
Material of pipe and capillary structure	304 stainless steel
Wick configuration	circumferential wick with composite central slab
Slab	4 layers 400 mesh around 5 layers 30 mesh screen
Circumferential wick	2 layers 400 mesh screen
Fluid gap	.003048 centimeters








Figure 3. Capillary Structure




Figure 4. Heat Pipe Model

parts of the heat pipe and the nodal system used for solutions. Basic heat transfer equations are written for each part and the equations are coupled at the boundaries.

A two-dimensional model of the evaporator has been developed that permits temperature variation in the radial and circumferential directions. Symmetry is assumed such that only a 90° section is modeled. In this way the effects of partial burn-out in the circumferential wick can be studied.

The vapor region is modeled as a lumped mass system. The system includes the vapor, the slab, and the innermost part of the wick along the entire length of the heat pipe. The vapor temperature is assumed to vary only with time having the same value in both the evaporator and condenser.

Condenser and adiabatic sections are modeled as two dimensional in the radial and axial directions. This arrangement permits study of Reynolds number effects and axial conduction.

Conditions at the surface of the evaporator and condenser can be modeled in several ways. The surface temperature can be fixed, a known heat flux can be made to exist at the surface, or an evaporator or condenser saddle can be added. The condenser saddle can be cooled with a cooling jacket or a radiating surface.

B. Solution Methods

Basic heat transfer equations can be written for each

section of the heat pipe. The result is a system of three coupled differential equations:

Evaporator:

$$\frac{1}{\alpha} \frac{\partial T_E}{\partial t} = \frac{\partial^2 T_E}{\partial r^2} + \frac{1}{r} \frac{\partial T_E}{\partial r} + \frac{1}{r} \frac{\partial^2 T_E}{\partial \phi^2} + \frac{\partial^2 T_E}{\partial z^2}$$
 (2.1)

Vapor:

$$m_{V}c_{V}\frac{dT_{V}}{dt} = 2\pi r_{I} \ell_{E} K_{W}\frac{\partial T_{E}}{\partial r}\Big|_{r=r_{I}} + 2\pi r_{I}\ell_{C}K_{W}\frac{\partial T_{C}}{\partial r}\Big|_{r=r_{I}} \qquad (2.2)$$

Condenser:

$$\frac{1}{\alpha} \frac{\partial^{T} C}{\partial t} = \frac{\partial^{2} T_{C}}{\partial r^{2}} + \frac{1}{r} \frac{\partial^{T} C}{\partial r} + \frac{\partial^{2} T_{C}}{\partial z^{2}}$$
 (2.3)

These equations are transient conduction equations and do not account for fluid dynamics directly. As will be shown in the next section, in uniform startup with a fully wetted wick the time for fluid velocity response is very small. In the case of startup from the supercritical, these effects can be handled by manipulation of boundary conditions in the nodal system.

The equation for the vapor region is first order in time only. Finite difference techniques permit solving for the vapor temperature explicitly at each time step. The equation can be written in finite difference form as:

$$m_{V}c_{V} \frac{T_{V}^{n+1}-T_{V}^{n}}{t^{n+1}-t^{n}} = \frac{2\pi r_{I}\ell_{E}K_{W}}{NJE} \sum_{j=1}^{NJE} (TE_{NIE-1,j}^{n} - T_{V}^{n})$$

$$+ \frac{2\pi c_{I}\ell_{C}K_{W}}{NKC} \sum_{\Delta x} \sum_{c_{I}} (TC_{NIC-1,k}^{n} - T_{V}^{n}) \qquad (2.4)$$

Which can be solved explicitly

$$T_{V}^{n+1} = \frac{2\pi \mathcal{L}_{E} K_{W} \Delta t}{NJE \Delta x m_{V} c_{V}} \sum_{j=1}^{\Sigma} (TE_{NIE-1,j}^{n} - T_{V}^{n})$$

$$+ \frac{2\pi \ell_C K_W \Delta t}{NKC \Delta x m_V c_V} \sum_{k=1}^{\Sigma} (TC_{NIC-1,k}^n - T_V^n) + T_V^n$$
 (2.5)

Note that the heat transfer into the vapor region is equated to the heat transfer across the inner nodes of the evaporator and condenser sections.

The partial differential equations that describe heat transfer in the evaporator and condenser sections can be solved with a grid system of nodes. The curvilinear system is made rectangular with a change of variables. Details of this variable change are given in Appendix A. A heat balance is written for each node equating net heat gain with the change in temperature of that node. The resulting systems of equations are solved with an alternating direction implicit method.

Two finite difference approximations of equation (2.1) are used alternately to sweep through the evaporator grid for each time step. These two equations are given by: For the first half time step

$$\rho_{p}c_{p}r_{i}^{2} \frac{TE_{i,j}^{n+1/2}-TE_{i,j}^{n}}{t^{n+1/2}-t^{n}} = \frac{K_{p}}{\Delta x^{2}} \left(TE_{i+1,j}^{n+1/2} + TE_{i-1,j}^{n+1/2} - 2TE_{i,j}^{n+1/2}\right)$$

$$+ \frac{K_{p}}{\Delta y^{2}} \left(TE_{i,j+1}^{n} + TE_{i,j-1}^{n} - 2TE_{i,j}^{n}\right)$$

$$- \frac{K_{p}TE_{i,j}^{n}}{NJE} \sum_{\substack{j=1 \ j=1}}^{NJE} TE_{i,j}^{n} \left(\sum_{j=1}^{p} TE_{i,j}^{n} - TC_{i,1}^{n}\right) \left(\frac{r_{i}^{2}}{\Delta z^{2}}\right) \qquad (2.6)$$

And for the second half time step

$$\rho_{p}c_{p}r_{i}^{2} = \frac{TE_{i,j}^{n+1} - TE_{i,j}^{n+1/2}}{t^{n+1} - t^{n+1/2}} = \frac{K_{p}}{\Delta x^{2}} \left(TE_{i+1,j}^{n+1/2} + TE_{i-1,j}^{n+1/2} - 2TE_{i,j}^{n+1/2}\right) + \frac{K_{p}}{\Delta y^{2}} \left(TE_{i,j+1}^{n+1} + TE_{i,j-1}^{n+1} - 2TE_{i,j}^{n+1}\right) - \frac{K_{p}}{\Delta y^{2}} \left(TE_{i,j}^{n+1} + TE_{i,j-1}^{n+1} - TC_{i,j}^{n}\right) \left(\frac{r_{i}^{2}}{\Delta z^{2}}\right) - \frac{K_{p}}{NJE} \left(\sum_{j=1}^{n} TE_{i,j}^{n}\right) \left(\sum_{j=1}^{n} TE_{i,j}^{n}\right) \left(\frac{r_{i}^{2}}{\Delta z^{2}}\right)$$

$$(2.7)$$

Note that the equations are implicit in only one direction and this direction changes with each half time step.

The last term in each equation accounts for heat conducted axially along the tube. An artificial node is created at the evaporator end of the adiabatic section. At each radial location the artificial node has a temperature equal to the average temperature of the evaporator nodes at that same radial location. This node provides a constant temperature boundary condition for the condenser and adiabatic grid. A weighted fraction of the total heat conducted axially is subtracted from each evaporator node.

Casting equation (2.6) in a different form gives

$$- \left(\frac{\Delta t K_{p}}{2(\Delta x)^{2} \rho_{p} c_{p} r_{i}^{2}} \right) TE_{i+1,j}^{n+1/2} + \left(1 + \frac{\Delta t K_{p}}{(\Delta x)^{2} \rho_{p} c_{p} r_{i}^{2}} \right) TE_{i,j}^{n+1/2}$$

$$- \left(\frac{\Delta t K_{p}}{2(\Delta x)^{2} \rho_{p} c_{p} r_{i}^{2}} \right) TE_{i-1,j}^{n+1/2} = \left(\frac{\Delta t K_{p}}{2(\Delta y)^{2} \rho_{p} c_{p} r_{i}^{2}} \right) (TE_{i,j+1}^{n} + TE_{i,j-1}^{n})$$

$$(1 - \frac{\Delta t K_p}{(\Delta y)^2 \rho_p c_p r_i^2}) TE_{i,j}^n$$

$$-\left(\frac{\Delta t K_{p}}{2\rho_{p}c_{p}(\Delta z)^{2}}\right)\left(\frac{TE_{i,j}^{n}}{NJE}\right)\left(\frac{1}{NJE}\sum_{j=1}^{NJE}TE_{i,j}^{n}-TC_{i,1}\right)$$

$$\sum_{j=1}^{\Sigma}TE_{i,j}^{n}$$
(2.8)

This equation can be used to construct a matrix of NIE equations for each value of j. Each equation is of the form:

$$A_{i} TE_{i-1,j}^{n+1/2} + B_{i} TE_{i,j}^{n+1/2} + C_{i} TE_{i+1,j}^{n+1/2} = D_{i}$$
 (2.9)

and the resulting matrix is shown below:

This matrix is tridiagonal and can be solved with a modified Gaussian elimination technique [16]. This particular subroutine permits any combination of boundary conditions at either end of the array. A matrix is constructed and solved for each value of j giving values at each location for the first half time step. The second equation (2.7) is then used to construct and solve a matrix of NJE equations for each value of i. This solution technique is known as the alternating direction implicit. It has the advantage of being very stable with respect to time and yet being fairly simple to solve numerically.

A similar derivation in the condenser and adiabatic section gives:

$$- (\frac{\Delta t K_{p}}{2(\Delta x^{2})\rho_{p}c_{p}r_{i}^{2}}) TC_{i+1,k}^{n+1/2} + (1 + \frac{\Delta t K_{p}}{(\Delta x)^{2}\rho_{p}c_{p}r_{i}^{2}}) TC_{i,k}^{n+1/2}$$

$$- \left(\frac{\Delta t K_{p}}{2(\Delta x)^{2} \rho_{p} c_{p} r_{i}^{2}} \right) TC_{i-1,k}^{n+1/2} = \left(\frac{\Delta t K_{p}}{2(\Delta z)^{2} \rho_{p} c_{p}} \right) (TC_{i,k+1}^{n} + TC_{i,k-1}^{n})$$

+
$$(1 - \frac{\Delta t \ K_p}{(\Delta z)^2 \rho_p c_p}) \ TC_{i,k}^n$$
 (2.10)

In the formulation of the equations the thermal properties are assumed constant. Expressions were developed by Hare [8] which permitted evaluation of properties as a function of temperature. These expressions have been modified to work with International units and additional expressions have been developed for specific heats. Appendix B lists the polynomials used. These expressions are used to calculate new properties whenever the vapor temperature has changed by more than a specified amount.

Special coefficients are required for the interface of the pipe wall and the wick. These expressions are developed in Appendix C.

The three equations were coupled at the boundaries.

Figure 5 is a schematic diagram of the computational grid and boundary conditions. The temperature of the innermost node of both evaporator and condenser is calculated as a part of the vapor region and held as a constant temperature




Figure 5. Computation Grid

boundary for both regions. Due to symmetry both ends of the evaporator grid can be assumed adiabatic. Also the outer surface of the adiabatic section and the lower end of the condenser are insulated. The vapor equation is in time only and therefore requires only an initial condition. Boundary conditions at the outer surface of the evaporator and condenser can be modified to better model the total system of which the heat pipe is a part.

Cooling of the condenser saddle can be accomplished either of two ways. For a radiating condenser a heat balance gives

$$m_R c_R \frac{dT_R}{dt} = 2\pi r_0 \ell_C h_C (T_C - T_R) - A_R \sigma \epsilon T_R^4 + Q_{space}$$

which can be solved explicitly as:

$$T_{R}^{n+1} = \frac{2\Delta t \rho r_{O} \Delta z h_{C}}{m_{R} c_{R}} \sum_{k=NKA+1}^{NKC} (TC_{NIC,k}^{n} - T_{R}^{n}) - \frac{A_{R} \sigma \epsilon \Delta t}{m_{R} c_{R}} T_{R}^{n}^{4}$$

$$+ \frac{Q_{space}^{n} \Delta t}{m_{R} c_{R}} + T_{R}^{n}$$

If a cooling jacket is to be used the following equation has to be solved:

$$m_{CJ}c_{CJ} = 2\pi r_0 \ell_C h_C (T_C - T_{CJ}) + \dot{m}_f c_f (T_I - T_{CJ})$$

or

$$T_{CJ}^{n+1} = \frac{2\Delta t \pi r_{O} \Delta z h_{C}}{m_{CJ}^{c} CJ} \sum_{k=NKA+1}^{NKC} (TC_{NIC,k}^{n} - T_{CJ}^{n}) + \frac{\dot{m}_{f}^{c} f^{\Delta t}}{m_{CJ}^{c} CJ} (T_{I}^{n} - T_{CJ}^{n})$$

$$+ T_{CJ}^{n}$$

This equation assumes a cooling jacket as shown in Figure 6. Both of these heat sink models are coupled to the condenser with a surface coefficient.

C. Fluid Dynamic Effects

If the startup of a heat pipe is to proceed smoothly fluid must be able to reach the evaporator capillary structure at the same rate that evaporation occurs. Fluid flow in the slab can be modeled as shown in Figure 7. A one dimensional momentum balance can be written for the case where evaporator burnout has occurred:

$$\frac{2\sigma_{\ell}}{r_{p}} A_{c} - \bar{K} \frac{\mu_{\ell} \dot{m}L}{\rho_{\ell} A_{c}} A_{c} = \frac{d}{dt} (A_{c} LV_{\rho\ell})$$
 (3.1)

If the length is assumed equal to the distance from the midpoint of the condenser to the midpoint of the evaporator the equation can be solved for the velocity as a function of time. The result is:




Figure 6. Cooling Jacket Used in Model




Figure 7. Model of Fluid Flow in Slab

$$V(t) = \frac{2\sigma_{\ell}}{\bar{K}\mu_{\ell}r_{p}L} (1-e)$$
 (3.2)

From this expression it can be seen that the time required for the fluid to reach a steady state velocity in an initially wetted capillary structure is a function of viscosity, inverse permeability, and density. For the particular heat pipe under study the fluid velocity reaches better than ninety percent of its steady state value in less than 0.05 seconds. Although this model is no doubt over simplified it does show that fluid velocities do develop very rapidly and would present no problem to startup in this heat pipe.

Velocity in the slab can be used to predict the capillary limited heat transfer rate with

$$Q_{cap} = \rho_{\ell} VA_{c} h_{fg}$$
 (3.3)

Heat transfer from the evaporator can be limited to this value by restricting the number of nodes interacting with the vapor region.

In simulating startup from the supercritical an expression must be developed to predict the location of the fluid as it is pumped back towards the evaporator. Assume uniform and rapid condensation over the entire condenser surface when the temperature drops below the critical value.

Equation (3.1) can be solved explicitly in finite difference form:

$$V^{n+1} = \frac{\Delta t}{L^{n}} \left(\frac{2\sigma_{\ell}}{r_{p}\rho_{\ell}} - \bar{K} - \frac{\mu_{L}^{n}V^{n}}{\rho_{\ell}} - V^{n^{2}} \right) + V^{n}$$
 (3.4)

The length in equation (3.4) is allowed to vary with time as the fluid moves along the slab. The location of the fluid can be calculated from:

$$L = \int_{0}^{t} V dt$$
 (3.5)

or in finite differences:

$$L^{n+1} = L^n + V^{n+1} \Delta t (3.6)$$

An initial condition is needed for each equation.

The initial velocity is assumed to be zero and the initial length is assumed to be one half the length of the condenser, measured from the midpoint of the condenser.

This length L, the distance from the center of the condenser to the fluid front, is used to calculate the node through which the fluid is currently moving. All nodes containing fluid are coupled with the vapor region. Those nodes still without fluid are insulated from the vapor. This manipulation of boundary conditions, made possible through

the use of the tridiagonal subroutine, permits any combination of nodes in the evaporator or condenser to actively working with or insulated from the vapor region.

D. Logic of Solution

The preceding equations were solved simultaneously on a Control Data Corporation Cyber-74 computer. A flow chart outlining the solution procedure is shown in Figure 8. The computer program is listed in Appendix D.

After reading dimensions and initial conditions a subroutine is called that calculates the properties and coefficients for each equation. The time steps are then started, each step requiring one pass through the program. Each of the equations is solved in a subroutine.

For each time step the new values of the vapor region and the heat sink temperatures are calculated first. These solutions are explicit and use evaporator and condenser values from the last time step. The new temperatures of the vapor and heat sink are then used as boundary conditions in the implicit solution of the evaporator and condenser system of equations.

The same subroutine that solves for a new vapor temperature also calculates the position of the fluid in the slab and determines which nodes in the evaporator and condenser are currently active. Because the vapor solution is explicit and has little mass it tends to become unstable.




Figure 8. Flow Diagram of Computer Program

A discussion of stability is presented in Appendix E. This unstable tendency is overcome by allowing the program to calculate a smaller time step for the vapor region and iterate a sufficient number of times to complete the total time step.

The equation for the heat sink is solved in a separate subroutine. This routine can handle either a radiating heat sink or a cooling jacket. The solution is explicit but the mass is sufficiently large that stability is no problem.

Both the evaporator and condenser matrices are solved separately in the same subroutine. Inputs to the subroutine are temperatures at each node, coefficients, and boundary conditions. The subroutine calls the tridiagonal subroutine for solution of each row of the matrix. This technique is described in detail in references [16, 17, 18].

After each time step several checks are made. The current vapor temperature is compared to temperature used for calculation of property values. If the new value is different from the old by more than 0.1 K new coefficients are calculated using properties calculated at the new temperature.

Another check is performed to determine if the system is changing rapidly. If the system is changing temperature at a rate less than that specified the time step is doubled and new coefficients are calculated. Thus several different time steps may be used during a single run. The response time of the vapor region is less than the time steps normally

This presents no problem since inherent in the solution technique is the assumption that the system response is linear across a single time step. Thus the vapor temperature merely tracks the temperature changes in the evaporator and condenser sections. However when the time step is changed the vapor response is solved explicitly with evaporator and condenser temperatures calculated for the old value of the time step. The vapor temperature will then lag the rest of the solution by one half of a time step slowing down the response of the entire system. To correct for this problem the change in the vapor temperature is always multiplied by the ratio of the new time step to the old time step. In essence this procedure amounts to predicting the temperatures of the evaporator and condenser nodes that interact with the vapor for the new time step. Since this change of time step only occurs when the system is changing at a very slow rate any error that occurs would be small.

In startup from the supercritical the average specific heat of the slab changes as the fluid moves through it.

Whenever the fluid reaches a new node the values are calculated again taking into account the additional fluid in the slab.

Values used for thermal conductivity of the wick are a weighted average of the thermal conductivities of the fluid and the screen. Effective thermal conductivity of the screen-fluid combination is evaluated using the method of Williams

[24]. Details of this development are in Appendix F.

Specific heats of the wick and slab are also weighted averages of the specific heats of the components.

E. Description of the Analog Model

A simplified model of the heat pipe was used for transient studies with an analog computer. This model assumed one dimensional conduction in the radial direction.

Overall temperature drops and response times can be predicted with this technique for small perturbations.

The approach used for the analog computer was to break the heat pipe into nodes. A heat balance was written for each node equating the net heat gain with temperature increase. The result is a system of first order differential equations in time with temperature the dependent variable.

Since the computer capacity was limited only five nodes are used. Node 1 is composed of the outer half of the evaporator wall and is located at the evaporator surface. The inner half of the evaporator wall and the outer half of the wick make up node 2 which is located at the interface of the wick and wall. The vapor region, slab and adiabatic wall and wick are the components of node 3 located at the interface of wick and vapor region. Like node 2, node 5 is composed of one half of the wick and the inner half of the condenser wall and is located at the interface of condenser wick and wall. Node 6 is the outer half of the condenser

wall and like node 1 is located at the surface. Figure 9 is a schematic diagram of the nodes and their locations.

Equations for the six nodes are listed below. See Appendix G for a discussion of scaling the equations for use on the analog computer.

Condenser cooling is accomplished by means of a jacket with a circulating fluid. An additional node, number 6 permits the modeling of this jacket.

The analog computer circuit for these equations is shown in Figure 10.

$$\frac{dT_1}{dt} = \frac{4\pi \ell_E K_p}{\rho_p c_p v_{pE} \ln(r_o/r_B)} (T_2 - T_1) + \frac{2Q_E}{\rho_p c_p v_p}$$
(4.1)

$$\frac{dT_2}{dt} = \frac{4\pi \ell_E K_p}{[\rho_p c_p v_{pE} + \rho_w c_w v_{wE}] \ln(r_0/r_B)} (T_1 - T_2)$$
 (4.2)

+
$$\frac{4\pi \ell_E K_W}{[\rho_p c_p v_{pE} + \rho_w c_w v_{wE}] ln(r_B/r_I)} (T_3-T_2)$$

$$\frac{dT_3}{dt} = \frac{4\pi \ell_E K_W}{[\rho_p c_p v_{pE} + \rho_w c_w v_{wE} + m_a c_a] \ln(r_B/r_I)} (T_2 - T_3) (4.3)$$

+
$$\frac{4\pi \ell_{C} K_{W}}{[\rho_{p} c_{p} v_{pC} + \rho_{w} c_{w} v_{wC} + m_{a} c_{a}] \ln(r_{B}/r_{I})} (T_{4}-T_{3})$$




Figure 9. Schematic Diagram of Analog Model




Figure 10. Analog Circuit

$$\frac{dT_4}{dt} = \frac{4\pi \ell_C K_W}{[\rho_p c_p v_{pC} + \rho_w c_w v_{wC}] \ln(r_B/r_I)} (T_3 - T_4)$$
 (4.4)

+
$$\frac{4\pi \, {^{\ell}_{C} \, {^{K}_{p}}}}{[\rho_{p}c_{p}v_{pC} + \rho_{w}c_{w}v_{wC}]\ln(r_{O}/r_{B})} (T_{5}-T_{4})$$

$$\frac{dT_{5}}{dt} = \frac{4\pi \ell_{C} K_{p}}{\rho_{p} c_{p} v_{pC} \ln (r_{0}/r_{B})} (T_{4}-T_{5})$$

$$+ \frac{4\pi r_{0} \ell_{C} h_{C}}{\rho_{p} c_{p} v_{pC}} (T_{6}-T_{5})$$
(4.5)

$$\frac{dT_6}{dt} = \frac{2\pi r_0 l_C h_C}{m_{CJ} c_{CJ}} (T_5 - T_6) + \frac{\dot{m}_f c_f}{m_{CJ} c_{CJ}} (T_I - T_6)$$
(4.6)


III. RESULTS AND COMPARISONS

The digital model has been used to model the heat pipe studied by Saaski [26]. The heat pipe modeled had an evaporator and condenser each 15.24 cm long and a 15.0 cm adiabatic section. Methanol was used for the working fluid. The inside radius was 1.288 cm and the wall thickness was 0.080 cm. One layer of 200 mesh screen was used as a circumferential wick. An air gap of 0.022 cm was maintained between the condenser surface and the heat sink for a per-unit-length gap conductance of approximately 0.0443 W/cm-K. The temperature of the vapor region is non-dimensionalized by defining

$$\frac{\Delta T_{V}}{\Delta T_{Vm}} = \frac{T_{V}(t) - T_{Vo}}{T_{Vm} - T_{Vo}}$$

where T_{VO} is the initial vapor temperature and T_{Vm} is the steady state vapor temperature. Saaski's data reaches 95 percent of steady state values in approximately 130 seconds. The predicted curve using the technique of this study responds more slowly reaching 95 percent of steady state in 160 seconds. Both curves are shown in Figure 11.

The digital model of the heat pipe has been used to study three different cryogenic heat pipe systems. Systems



Comparison of Model with Experimental Data from the Literature Figure 11.


are varied by changing boundary conditions on the condenser surface. The effect of varying heat pipe design parameters was studied using a model with the condenser surface temperature fixed. Other systems modeled used a cooling jacket and a radiating surface as heat sinks.

Similar studies have been performed on the constant condenser temperature heat pipe and the cooling jacket using the analog model.

An even simpler model can be developed if the system is assumed to be a lumped mass. Details of this development for a heat pipe with a cooling jacket are given in Appendix H. The result is a simple exponential equation. This model should have a faster response than the more complex models, since no temperature gradient must develop. A comparison of digital, analog, and exponential models for startup from isothermal at 100 K to a heat load of 15 watts is shown in Figure 12. In each case the condenser heat sink is a cooling jacket with liquid nitrogen at 100 K as the coolant. All three models predict similar responses.

The digital model of a system with a constant condenser surface temperature was used to study effects of varying design parameters. In each case the heat pipe is initially isothermal at 100 K. A heat flux of 15 watts is imposed on the evaporator surface and the heat pipe adjusts to steady state. Table 2 lists the various cases studied.

Figure 13 compares analog and digital response curves



Comparison of Exponential, Analog, and Digital Models for Heat Pipe with Cooling Jacket Figure 12.

Table 2. Parameters for Cases Studied

Case No.	Modification
1	Standard Heat Pipe as described Table 1
2	Wall thickness .2030 cm
3	Wall thickness .4060 cm
4	Circumferential wick of 4 layers 400 mesh
5	Circumferential wick of 8 layers 400 mesh
6	Fluid gap .006096 cm
7	Fluid gap .012192 cm
8	Slab 2 layers 400 mesh 2 layers 30 mesh
9	Slab 8 layers 400 mesh 10 layers 30 mesh

In each case the heat pipe is initially isothermal at 100 K. A heat flux of 15 watts is imposed on the evaporator surface. The only modification from the heat pipe of Table 1 is that listed.




Figure 13. Comparison of Analog and Digital Model for Case 1

for case 1. The slower response of the analog curve is due to the different nature of the nodal systems employed.

The effect of changing the wall thickness is shown in Figure 14. Since the pipe wall is the major portion of the heat pipe mass, any change would have a great effect on heat pipe response. The pipe wall is also the largest thermal resistance in the heat pipe. Thus increasing the wall thickness requires a larger overall temperature difference. The time required for this temperature profile to develop slows response.

Increasing the number of layers of circumferential wick also increases the steady state temperature drop from evaporator to condenser. This effect as well as the added mass slow response as shown in Figure 15.

Figures 16 and 17 show the effect of changing the size of the fluid gap and the configuration of the composite slab.

As the curves show the change in response time is very small.

Due to the nature of the model the response takes the same time for any heat input. Figure 18 shows the response for a heat input of 5 watts and 15 watts. Also shown is the response of a heat pipe to a power change from 5 to 15 watts. Each curve is for a heat pipe with a constant temperature condenser. In all three cases 95 percent of total change is achieved at the same time.

The thermal properties used in the model vary with temperature. The effect of this phenomena on response is




Figure 14. Effect of Changing Wall Thickness




Figure 15. Effect of Changing Number of Wick Layers




Figure 16. Effect of Changing Thickness of Fluid Gap




Figure 17. Effect of Changing Slab Composition




Figure 18. Comparison of Startup at Different Power Levels

shown in Figure 19. All three cases show an initially isothermal heat pipe with a constant condenser surface temperature. A heat flux of 15 watts is imposed on the evaporator. Curves are shown for startup from 80, 100, and 120 K. At the lower temperature the specific heats are smaller and the response is faster. At 120 K the capillary limitation is less than 15 watts. The effect of capillary limitation is also shown in Figure 19. The development of the overall temperature difference is shown in Figure 20. Note that at 120 K capillary burnout causes evaporator temperature to increase rapidly.

A heat pipe system with a cooling jacket and one with a radiating surface are compared in Figures 21 and 22. Since the heat leaving the radiating surface is dependent on the temperature alone the response time is much greater. This demonstrates the phenomena of temperature choking referred to by Anand, \underline{et} al. [13].

Startup from the supercritical is shown in Figure 23. A heat flux of 5 watts is imposed on a heat pipe initially isothermal at 130 K. Cooling is imposed at the same time with a jacket with a coolant at 100 K and a surface coefficient of $1000 \text{ W/m}^2\text{-K}$. The evaporator surface temperature climbs sharply until fluid reaches it. The temperature falls rapidly and the heat pipe begins working.

Figure 24 compares wicking velocity calculated using equations 3.4 and 3.6 with velocities from the work of Symons




Figure 19. Comparison of Startup at Different Temperatures





Figure 20. Development of Overall Temperature Gradients



Comparison of Heat Pipe Response with Cooling Jacket or Radiating Surface Heat Sink Figure 21.




Figure 22. Response of Radiating Heat Sink





Figure 23. Startup from Supercritical




1/1

Figure 24. Comparison of Predicted Fluid Velocity with Data from Literature

[27]. For both curves the working fluid is methanol. Since the capillary structures are not the same the velocities do not agree exactly. However they are of the same order of magnitude.

Wicking velocity in the composite slab is shown in Figure 25. The velocities are much larger than those of Figure 24 because of the nature of the composite slab. The effective inverse permeability is relatively small due to the presence of the 30 mesh screen yet the pumping pressure is relatively high due to the outer layers of 400 mesh screen.



IV. CONCLUSIONS AND RECOMMENDATIONS

This study has developed a technique for predicting transient response of heat pipes. Predicted response curves were compared with experimental data from the literature and agreement was good. Results from the digital studies have been compared with those from more simple analog and exponential models and trends are found to be similar.

The analog model provides a good method for estimating response for small transients. Because of the large node spacing and assumption of constant property values the results are not as accurate as the digital model and the effects of fluid dynamics and startup from the supercritical could not be included. An attempt to improve the analog model would have required more analog computing capability than was available.

A much better technique for modeling transients is provided by the digital model. Thermal properties are allowed to vary with temperature and the effects of fluid dynamics are included. It was found that in accurately modeling experimental data it was difficult to account for response times of heating and cooling systems and the added masses of instrumentation and insulation. A simple approach was developed for including

startup from the supercritical.

The stability of the alternating direction implicit solution procedure was found to be very good. (See Appendix E for a discussion of stability.) The program remained stable for time steps as large as thirty seconds. Had an explicit solution of the same node system been attempted, time steps on the order of 10^{-3} seconds would have been necessary to maintain stability. With the ADI method some oscillations would occur near the boundaries when the time steps were large and the system was changing temperature rapidly.

In any continuation of this work many improvements could be made in the computer code to decrease running time. In addition the equations which are used to predict wick repriming after dryout could be improved.

APPENDICES

APPENDIX A

TRANSFORMATION OF COORDINATE SYSTEMS

It is convenient to transform the cylindrical coordinate system that describes the heat pipe to one that is rectangular. In cylindrical coordinates $\bar{\nabla}^2 T$ is

$$\frac{\partial^2 T}{\partial r^2} + \frac{1}{r} \frac{\partial T}{\partial r} + \frac{1}{r} \frac{\partial^2 T}{\partial \phi^2} + \frac{\partial^2 T}{\partial z^2}$$

Make the following substitutions

$$x = \ln(r_0/r_1)$$

$$z = z$$

Thus

$$\frac{\partial^2 T}{\partial r^2} = \frac{\partial}{\partial r} \left(\frac{1}{r} \frac{\partial T}{\partial x} \right) = \frac{\partial^2 T}{\partial x^2} \frac{1}{r^2} - \frac{1}{r^2} \frac{\partial T}{\partial x}$$

$$\frac{\partial^2 T}{\partial \phi^2} = \frac{\partial^2 T}{\partial y^2}$$

$$\frac{\partial^2 T}{\partial z^2} = \frac{\partial^2 T}{\partial z^2}$$

Substitution back into $\bar{\nabla}^2 T$

$$\frac{1}{r^2} \frac{\partial^2 T}{\partial x^2} - \frac{1}{r^2} \frac{\partial T}{\partial x} + \frac{1}{r^2} \frac{\partial T}{\partial x} + \frac{1}{r^2} \frac{\partial^2 T}{\partial y^2} + \frac{\partial^2 T}{\partial z^2}$$

or

$$\frac{1}{r^2} \frac{\partial^2 T}{\partial x^2} + \frac{1}{r^2} \frac{\partial^2 T}{\partial y^2} + \frac{\partial^2 T}{\partial z^2}$$

This transformation simplifies calculation and makes finite difference approximation of the equations easier. Figure 26 shows the result of this transformation.




Figure 26. Polar to Rectangular Transformation

APPENDIX B

THERMODYNAMIC PROPERTY EQUATIONS

In his thesis Hare [8] developed polynomial expressions for the thermal properties of nitrogen and stainless steel as a function of temperature. A least squares regression analysis program on a Wang 720 calculator was used. These equations have been converted to International units and are presented here. Expressions for the specific heats of nitrogen, stainless steel and aluminum were developed using the same technique and data from references [23,25].

T = temperature in degrees Kelvin

Properties of liquid nitrogen

Density (Kg/m^3)

$$\rho_{\ell} = -5.7784 \times 10^{-10} \text{ T}^7 + 2.45356 \times 10^{-7} \text{ T}^6 -3.49017 \times 10^{-5} \text{ T}^5$$

$$+8.3300 \times 10^{-4} \text{ T}^4 + 2.7794 \times 10^{-1} \text{ T}^3 -3.10677 \times 10 \text{ T}^2$$

$$+1.31038 \times 10^3 \text{ T} - 1.94571 \times 10^4$$

Viscosity $(N-\sec/m^2)$

$$\mu_{\ell} = -2.25319 \times 10^{-11} \text{ T}^4 + 6.541176 \times 10^{-9} \text{ T}^3 - 5.51203 \times 10^{-7} \text{ T}^2 + 2.708099 \times 10^{-6} \text{ T} + 1.0352966 \times 10^{-3}$$

Surface tension (N/m)

$$\sigma_{\chi} = 1.026812 \times 10^{-9} \text{ T}^4 - 3.919365 \times 10^{-7} \text{ T}^3 + 5.631364 \times 10^{-5} \text{ T}^2 - 3.804096 \times 10^{-3} \text{ T} + 1.1066907 \times 10^{-1}$$

Heat of vaporization (J/Kg)

$$h_{fg} = -3.25198085 \times 10^{-6} \text{ T}^6 + 9.1831855 \times 10^{-4} \text{ T}^5$$

- 3.4922526 \times 10^{-2} \text{ T}^4 - 1.3994675 \times 10^1 \text{ T}^3 +

$$1.9701130 \times 10^{3} \text{ T}^{2} - 1.005187 \times 10^{5} \text{ T} + 2.0678544 \times 10^{6}$$

Thermal conductivity (W/m-K)

$$K_{\ell} = 3.586226 \times 10^{-10} \text{ T}^5 - 1.6795344 \times 10^{-7} \text{ T}^4 + 3.120013 \times 10^{-5} \text{ T}^3 - 2.8859648 \times 10^{-3} \text{ T}^2 + 1.3152021 \times 10^{-1} \text{ T} - 2.182878$$

Specific heat (J/Kg-K)

$$c_{\ell} = 3.543145 \times 10^{-4} \text{ T}^4 - 1.0894305 \times 10^{-1} \text{ T}^3 + 1.2632769 \times 10^1 \text{ T}^2 - 6.500754 \times 10^2 \text{ T} + 1.4495738 \times 10^4$$

Properties of 304 stainless steel

Thermal conductivity (w/m-K)

$$K_p = -2.25468 \times 10^{-4} T^2 + 9.99792 \times 10^{-2} T + 2.2549$$

Specific heat (J/Kg-K)

$$C_p = -1.037895 \times 10^{-2} T^2 + 4.982373 T - 1.5772696 \times 10^2$$

Specific heat of Aluminum (J/Kg-K)

$$C_{A1} = -8.1727423 \times 10^{-5} \text{ T}^3 - 4.3008433 \times 10^{-3} \text{ T}^2 + 8.9683338 \text{ T} - 2.8647838 \times 10^2$$

APPENDIX C

WICK-WALL INTERFACE NODES

Due to the change of variables used (see Appendix A) nodes are spaced exponentially through the wall and wick. It was found that for best results three nodes were needed in the wall and two in the wick with one for the interface. The wick nodes are smaller than the wall nodes and a scale factor SF was calculated so that the same value of DX could be used. Figure 27 shows nodes near the interface in the evaporator.

To place the fourth node on the interface of the wick and wall an artificial radius had to be calculated.

This artificial radius was then used for calculating the locations of all nodes in the wall and the scale factor for the nodes in the wick.

The artificial radius is given by:

$$r_{art} = \left[\frac{r_0^{1/(NIE-1)}}{r_B}\right]^{\frac{(NIE-1)}{(2-NIE)}}$$

Wick nodes are smaller than wall nodes by the factor SF given by:

$$SF = \frac{1}{2} (NIE-2) \ln(r_B/r_I) / \ln(r_O/r_{art})$$




Figure 27. Wick-Wall Interface Nodes

A heat balance on node 4 gives:

$$r_4^2 \rho_4 c_4 \Delta z \Delta y \ (\frac{\Delta x + SF\Delta x}{2}) \ \frac{TE_{4,j}^{n+1/2} - TE_{4,j}^n}{t^{n+1/2} - t^n} = \frac{K_p}{\Delta x} \Delta y \Delta z \ (TE_{3,j}^{n+1/2} - TE_{4,j}^{n+1/2})$$

$$\frac{K_{w}}{\Delta x \text{ SF}} \Delta y \Delta z \quad (\text{TE}_{5,j}^{n+1/2} - \text{TE}_{4,j}^{n} + \frac{K_{p}}{\Delta y} \Delta z \quad (\frac{\Delta x + \text{SF}\Delta x}{2}) \quad (\text{TE}_{4,j+1}^{n} + \text{TE}_{4,j-1}^{n} - 2\text{TE}_{4,j}^{n})$$

which can be rearranged for the subroutine to give

$$-\left(\frac{\frac{K_{p}\Delta t}{2(\Delta x)^{2}(1+SF)\rho_{4}c_{4}r_{4}^{2}}\right)TE_{3,j}^{n+1/2}+\left(1+\frac{K_{p}\Delta t}{2(\Delta x)^{2}(1+SF)\rho_{4}c_{4}r_{4}^{2}}+\right.$$

$$\frac{K_w \Delta t}{2(\Delta x)^2 SF(1+SF) \rho_4 c_4 r_4^2}) TE_{4,j}^{n+1/2}$$

$$-\left(\frac{K_{w}^{\Delta t}}{2(\Delta x)^{2}SF(1+SF)\rho_{4}c_{4}r_{4}^{2}}\right)TE_{5,j}^{n+1/2} = \frac{K_{p}^{\Delta t}}{2(\Delta y)^{2}\rho_{4}c_{4}r_{4}^{2}}(TE_{4,j+1}^{n} +$$

$$TE_{4,j-1}^{n} - 2TE_{4,j}^{n}$$
 + $TE_{4,j}^{n}$

APPENDIX D

COMPUTER CODE





```
PROGRAM MAIN (IMPUT.OUTPUT, TARES=INPUT, TAREE=OUTPUT
      1. DATA, FAREZ = UATA, LIST, TARE? = LIST)
       DIMENSION OF (6.70).TO(6.70).T(6.30).D(30).E(30).F(30).M(30)
      1.ATE(0),ATC(0).AJ1(6).AYE(6.30).AYE(6.30).AXC(6.30).AYC(6.30)
      1.A(3.).0XE(6.70).CYF(E.70).CYC(6.70).CYC(6.3().AXCOU(6).PSI2(6)
      1 ,000(15)
       CO MON ET, FS, CTS, TE, TV, TC, TR, QIF, CR, CEV, CCP, CMAX, NIE, NJE, NIC, NJC
      1.LAFF.LWFG.L TO.LNA.GXF.UYE.CXG.CYG.GV.V.TL.FL.ASU.3SU.XL.GG.IGRIT
      1. AYI. AYI. AYO. AYO. AV. AV. AV. AS. RS. AC. BC. CIF. CIC. Alf. AIC
      1, MODI, RMAGS, DI, DIO, IX, KF, F, C, DYC, DYC, CL, NUA, CRESIST
      1.WT.DF.TF.ML.BETA.POPSTY
       PEAL NEIKLIMBOTIKE HESIKW
       WPITE(6.45)
       FORMAT ("INPUT CASE NUMBER")
65
       PEAT(5,*) NO
       WPITE(6,75)
       FOR ALL TUPUT DIANDITA
75
       PEAULS,*) DI, NOT
       MPITE (6.45)
       FORMAT ("INPUT MOOT, FMASS, DIS, OIP, AR, TI, CPESIST")
       PEAD (5.*) MOOT, PMASS, DIS, DIP, AR, TI, CRESIST
       WPITE(6,133)
       FORMAT ("TYPE 1 TO INPUT ALL DATA")
130
       READ(5,*) INPUT
       IF (INPUT.NE.1) 50 TO 250
       WPITE (5.000)
       FORMAT ("INPUT MIE, NUE, NIC, NUC, NUA")
200
       'READ (5.+) NIE, NJE, NIC, NJC, NJA
       WPITE (5,300)
       FOR MAT ("INPUT TSI, TEI, TVI, TCI, TRI")
300
       READ (5,*) ISI, TEI, TVI, TCI, TRI
       WRITE (6,400)
       FORMAT ("INPUT LWFE, LBO, LWFC, LNA")
400
       PEAU (5.*) LWFE, LRO, LWFC, LNA
       WPITE(6.450)
450
       FORMAT ("INPUT WY, OF, RE, ML, BETA, PORSTY")
       PEAD(5,+) WI.OF.RF.NL.BETA, POPSTY
C INITIALIZE VALUES
       E T = 3
       TS=TSI
       DO 2 J=1.4UE
       00 1 1=1,NIE
       TE(I,J)=TEI
2
       CONTINUE
       TV = TVI
       NO 4 I=1.NIC
       NO 3 J=1.NJC
3
       IC([.J)=[CI
       CONTINUE
       [ F = [ ? !
       XL=.1524
       50 TO 350
25(
       CALL DATAIN
       10=C10
350
       ET=0.
      WPITE (3.501) RMASS.AP.MDOT
FORMAT(6X.MASS OF HEAT SINKM.F11.3.1X.MKG APEAM.F11.3.1X.
500
     1"M**2", 3x, "FLOW PATE", 3x, 19815.6, 7x, "KG/986")
      DD 5 I =1.HI:
       ATC(1)=3.2
      00 > U=1.4UE
5
      ATELI) = TE(I, J) + ATE(I)
6
      ATF(I) = NT=(I)/FLOAT(NJE)
```

```
E 24 = 17.2
       Icount=:
       7217=1V
       DF=3.91 # -35
       PF=1.552-05
       PORSTY=.595
       SMA ;S=1.E+22
       LWECOSLWED
       WRITE(3,402) NO
      FORMAT (13."CASE NUMBER" .18)
402
       CALL PAPANTE
       3P=5.65377+8+54*AP*TP**4+CC*(TR-TI)
       GALL OUTPUT
G START TIME CYCLES
       00 1001 4=1,401
       [[00011=[00011+1
       IF (LWF).50.EWF00) GO TO 20
       CALL PARAMER
      VI=VI9C
      LWFCC=LWFC
      60 TO 80
      IF (485([V-OPTV).LT..1) GO TO 39
20
       SALL PARAMTR
      VI=VIQ
      60 TO 30
      IF (ABS (DT-5) .LT. . 001) GO TO 50
30
       IF (N-13)85.80.40
4]
      IF (433([R-TPO) -.0013)50.80.80
      IF (ABS (IV-IVO) -.0010) 55.80.80
50
      01=2*01
      IF (01-3J) 75.7J.60
60
        CALL PAPAMTE
70
      OPTV=TV
      ST = FT + OT
80
      00 30 I=1.NIE
      AXION([] = (TC([,2]-ATE([]))+KF/(DYC++2+NJE+R+C+ATE([]))
90
      TROSTR
      TVJ=TV
      GALL VAPOR
      CALL COOLERIAC . AC. CC. TI. TO. NUC. NUA. TR. EM. AR. GIP. GR. QCP)
      CALL GRIDZD (TF.AXE,AYE, CXE, CYE, NIE, NJE, AXCON,
     14 I E, TY, 4 TG, 3 ., TS. 1 ., 1 ., 1 ., 2 . 1 . 2, 2, 0 . CIE, 1 ., LWFE, LB3)
      00 11 I=1.NIE
      A T = ( 1 ) = 1 . 5
      2UM+1=1 00
      ATT(I) = TE(I, J) + ATE(I)
10
      ATE(I)=ATE(I)/FLOAT(NUE)
11
      CALL GRIDZD (TG.AXC.AYC.CXC.CYC.NIC.NJC.ATC.
     1AIC.TV.ATE.C., TP.1.,1.,1..3,1.1.2,NJA.CIG.CJC.LWFC.LNA)
      NJAP1=NJA+1
      IF (10304T.ED.5) GO TO 12
      50 10 1101
      DALL JUTPUT
12
      I COUNT #3
1000 CONTINUE
      CALL DAFAOUT
      STOP
      END
```


```
SUBJOUTING PASSATTE
               DIM TO STON TO (6,37) . TO (6, 30) . AYE (6, 30) . AYE (6,30) . AXC(6,30) .
             1AYO(n, 3.1, GX = (F, 10) + GYELE, 33) + GYO(6, 70) + GYO(6, 30) + AKCON(6)
             1,9312(6)
              COMMODITION, SET TO TO TELEVATO, TO TELEVATO, OF TO TO TO THE TOTAL TH
             1. EAFI. EAFO. EBO. ENA. DX: . LYE., CXG. CYG., CV.V., TE. EE. . ASU. BSU.XE. CC. ICRIT
             1, AXI, AYI, AXC, AYC, AV, OV, AS, 3S, AC, OC, GIE, CIC, AIE, AIC
             1, MODI, PMASS, DI HOTO, IX, KE, P. C. 6XC. DYC. CL, MUA. CRESIST
             1.WT.DE.KE.ML. HETA.POSSTY
               REAL HERKELMOOT, KE, HEG, KW, MCPSEAB
               CTV=TV
               IF (LTV.ST.125) CTV=125
 C VISCOSITY (4 SEC/M**2)
               XMU=-2.253196-1: *CTV*+4+6.541176E-9*CTV**3-5.51263E-7*CTV**2
             1 +2.71839 HE-6+CTV+1.1352 966E-3
 C SUPFACE TENSION (HZM)
               $1644=1.1263126-9*CTV**4-.7919365F+6*CTV**3+.5631364E-4*CTV**2
             1 -.3834394E-240TV+1.1356907E-1
 C INVERSE PERIEABILITY OF SLAP (1/4**2)
               FK=5.455E3
 C PORE PADIUS (M)
              RP078=1.9152+5
 C DENSITY OF PIPE WALL (KG/4++3)
               2=7917
 C SPECIFIC HEAT OF PIPE WALL (WATT SECKE K)
              C=-1. 378956-2 *CTV **2+4.982373*CTV-1.5772696F2
 C SPECIFIC HEAT OF SADDLE (WATT SECIKE K)
              GS=-8.17274236-5+CTV++3-4.36084338-3+GTV++2+8.9683338+CTV
            1 -2.364787852
C OUTSIDE RADIUS OF PIPE (M)
              20=.00535
C EMMISIVITY OF HEAT SINK
              EM=.72
C HEAT PIPE TOTAL LENGTH (M)
              TL=.9144
C EVAPORATOR LENGTH (4)
              EL=+1524
C CONDENSER LENGTH (M)
              CL = . 36 48
C VAPOR DENSITY (KG/M**3)
              240V=3.40
C SPECIFIC HEAT OF VAPOR (WATT SECKE K)
              CV=1172.30
              99=39-4T
              PI=x3-4.j*RF*NL-RETA*(NL-1.0)
              PSUM=[.]
              NI=INI(UL)
              nn →CI=1.NI
              FI=FL741(I)
              TERM=ALDG((RR-(FI-1.0)*4.0*PF-(FI-1.0)*HFTA)/(RB-4.0*FI*RF-(FI-1)
           C#RETAIL
             PSUA=TERM+PSUM
              CONTINUE
43
              SUMA=-SIM
              P504=1.0
              NMI=NI-1
              00 421=1,441
              EI=EF771(I)
              TEP4=4L)G((FR-4.0*FI*RF-(FI-1.3)*8FTA)/(FB-4.C*FI*RF-FI*BETA))
             PRUMETERM+PSUM
             CONTINUE
42
              2047=P$114
             IF (NM1.20.0) SUMM= 0.0
C
```

```
C SET DXE, PYE, DXC, DYC. AND DI
       NICHIENTE-1
           WIF 12 = WIE = 2
           91042=NIC-2
       NUEN1=NJE-1
       NIC41= VIC-1
       MUCM1=MUC-1
       ? POSUS = ( +0++ (1.3/FLOAT (HTFM2)) / (PA)) ++
      1 (FLOAT(MIEM?) /(1.0-FLOAT(MIEM?)))
       DXE=(ALAG(20/HPAGUSI)/FLOAT(HIEM2)
       DYT=6.213/FL04T(1)JFM1)
       OXC=(AL)G(POX=GOGUSI) XFLOAT (NICM2)
       TYC=(TL-EL)/FLOAT (NUCM1-1)
C THEFMAL CONDUCTIVITY OF STAINLESS STEEL (WATTIM K)
      KF=-7.254685-4*STV**2.1+9.397925-2*STV+2.2549
C THESAME COMMUSTIVITY OF LIQUID MITROGEN (WATTIM K)
      KL=3.5352266-13*CTV**5.6+1.6795344E-7*CTV**4.6
      C+3.12 113_-5*CTV*+3.0-2.4452643E-3*CTV**2.0+1.3152021E-1*CTV
      0-2.182973
C THIRMAL CONSUCTIVITY OF SCREEN (WATT/M K)
      KW=KL/((DF/(2,(*?F))*(2,;*(KL/KF)*()F/(2,;*RF)
      0-2.J))+2.J*KL/((DF/(2.0*%F))+((KL/KF)*((2.0*4F)/
     C(OF-2.0*PF)+1.0)))+KL/(2.0*PF/(6F-2.0*RF)+1.0)**2.7
C THESMAL CONDUCTIVITY OF WICK (WATTAM K)
      TKH=((H*SUMA+KL*SUMA))/(SUMA+SUMA)
C DENSITY OF LIDUID NITPOSEN (KG/4**3)
      PHO_=-5.77140-1340TV**7+2.453562-7*CTV**6-3.490170-5*CTV**5
     1 +8.331.E-4*CTV**4*2.7794E-1*CTV**3-3.11677E1*CTV**2
      1 +1.3133853*6TV-1.9457164
C DENSITY OF WICK (KG/M##3)
      ?HOW=(SUM4+(PO?STY+RHOL+(1.-PO?STY)+R)+SUMR*FHOE)/(SUM4+SUM8)
C SPECIFIC HEAT OF LIQUID NITROGEN (WATT SECIKE K)
      CPL=3.5.31435-4*CTV**4-1.4834335E-1*CTV**3+1.2632769E1*CTV**2
     1 -6.53 1754322 * CTV + 1.449573 434
C HEAT OF VAPORIZATION (WATT SEC/ KG)
      HFG=+7.25198_85=-6+CTV++6+9.1831855=-4+CTV++5
     1 -3.43225262-1*CTV**4-1.39346756+1*CTV**3
     1 +1.97 )11 305 +3 *CTV **2-1.0151875 +5 * GTV
     1 +2.16735445+6
20(0 FOPMAT(4815.5)
C SLAS PROPERTIES
      0864=7.4375-5
      DEL 3=6.2135-4
      NLA=4
      NL 1=5
      [A=.576]
      50=.6532
      FPCThAL=(NUC-LMFC)/NUCM1
      MCPSLAREZ. *TL * PI * ( DSL A * NL A * ( SA * PHOL *CPL * FPCTNWL * (1. -EA) * R * C)
     1 +0EL (*NL3*(EL**HOL*CPL*F#CTNWL*(1.*ER)*P*C))
C SPECIFIC HEAT OF THE WICK (WATT SECKE K)
      CH=(1:,-P)?STY1+>+C+PGPCTY+CBL*PHOL)/((1,-POKSTY)+R+PORSTY*RHOL)
      GM=(GM+3UHA+CPL+SUMP)/(SUMA+SUMP)
      MPITE(3,200.) O.OPE, FROTHWE, RHOE
C DIMENSIONS OF COCLING JACKET (M)
      RC0=.3157
      POI=+.133
      EH=. . . . 31 H
      244327=4.1416+4(CT+40004+5-601++5)+5**EM*(600++5-K0++5))*C+6
     1 +OL*(@3I**2-~0**2)*CPL*RHOL)
      IF (40) F. L.F. - 3) GO TO 11
      RMASS=RMASSI
      98=1.
```

```
11
       CC = 400140PL
       CIF=KE#3T/(4*C*3XE**2.**0**2.)
       CIG=DT/CHISIST/(P*C*0xC*2.*PO)
       AC=o.233*CL+20/(CFESIST)
       BO=DIZ(=MASS*CS)
       AIF==0(0*0IS/(KF*6+2832*EL)
       AIC=+KFTCHESIST/(DXC*PO)
       ASU=2. *SISMA/(PPORE*PHOL)
       USD=EK*XABN=HUF
       OMAX=4 * ST SMA * PIF (NUA * DEU A * NUA * DEUS ) * RHOL/
      1 (PPOPEMEK#XMU*(TL-(SL+OL)/2.)) *HEG
       00 203 I=1.NIFM2
       L=NIC 11-I+1
       RSI2(I)=(RBOGUS*(PO/RPOGUS)**(FLOAT(L-1)/NILM2))**2
       80 100 U=1.NUF
       AYF([, J) = KF+DT/(DXE++2+++C+2, +2SI2(I))
       AYE(I.J) = KF*DT/(DYE**2*8*6*2.*RSI2(I))
       CX = \{I, J\} = 4X \in \{I, J\}
100
       CYF(I,J)=AYE(I,J)
       CONTINUE
200
       SF=.5+NIEM2+ALOG(SQPT(PSIZ(NIEM2))/RITMALOG(PC/RROGUS)
       712=91 ** 2
       RNI413=(PHOGUS*(PO/PROGUS) ** (7/NIFH2/2)) **2
       ?INMU?=(FI*(SUPT(PSI2(NIEM2))/91)**,75)**2
       2512(NIEM1) = (FI*(SCPT(PSI2(NIE42)) / OI) **, 4) **2
       XDSH=((RSI2(NIFM2))+RHOW+CW+(PNIM12-PSI2(MIEM2))+R+C)/
      1 (RNIM12-PINMD2)
      AV=TKW+TT+2.+0Y5+EL/(0X5+(3HOV+TL+(3.1416+RI2+
      12. *PI+SUPTHK) *CV+MCPSLAG+TL*(PINMO2-RIZ) *
      2 3.1415*CW)*SE)
       BV=TKH+DT+2.+6.283+DYC//CXC+(PHOV+TL+(3.1416+FI2+
      12.*RI*SUBTHK)*CV+MCPSLAc+TL*(RINMD2-RI2)*
      2 3.1415*CW1*SF1
       IX=INT (AV+NJE+RV+NJC)+10
       AV=AV/FLOAT(IX)
       RV=RV/FLCAT(IX)
       CV=TKW+DY=+EL/(DXE+SF)
       HRITE (3,2)00) RMASS, CW, MCPSLAR, CS
10()] FOR 44T (2F13.5)
       00 300 J=1,NUE
       AXECHIE 12. J) = KF*DT/(DXE**2*XDSH*(1.+SF)*PSI2(NIEM2))
       CXE(NTE42, J) =1 KY+ OT/ (DXE ++ 2 + XDSH+ (1 ,+ SE) + RSI2 (NIEM2) + SE)
       AYI(NTF12.J) = KF*UT/(0XE* *2*XDSH*2. *2ST2(NIEM21)
       CVE(NIEME, J) = AYE(NIEME, J)
      CXE(NIE41.J)=[K4+DT/(DXE+*2+SF**2+CW*FHOW*2*RSI2(NIEH1))
AXE(NIE41.J)=CXE(NIEM1.J)
       A Y E (NIE41. J) = TKW+ DT/(DY: ++ 2+PHOW+CW+2.+PI2)
      CYE(NIEM1.J) =AYF(NIEM1.J)
       AXE(NIF.U) =PSIZ(NIEM1) /FIZ*CXE(NIEM1.U)
      CYE(NIE,U) = AYE(NIE,U)
      AYE(NIE, J) = TKW+DI/(DYE++2.+RHOW+CW+2.+RI2)
30 C
      CYF(NIE, J) = AYF (NIE, J)
      no set I=1.NICM2
      DO 40. J=1.MUS
      AXG(I. J) = < F* () T / () X C+ * 2 * R + C * 2 . * R S I 2 ( I ) )
      AYT(I+ )) = KF + PI / (D + C + 2 + 0 + C + 2 + )
      CL.IDOXA= (L.IDOXO
400
      (U,I) \cup VA = (U,I) \cap VC
```



```
CONTINUE
536
      00 5.1 J=1+NJC
4xC(NI)(12+J)=KF*NT/(NXE*+2+XNSH*(1.+3F)+FSI2(NICM2))
      AY3(NIG41,J)=TK4+3T/(GYG++2+9H)H*GH+2.)
      AYC(NIC42.J) = KF*DT/(DYC**2*XDSH*2.)
      (U.Shoin) OAV = (U.Shoin) OAO
      CYC(NICM1.J) =AYC(NICM1.J)
      CXC(NI):12.J) = TKH+OTV(CXC++2+YOSH+(:.+SE)+RSI2(NICM2)+SE)
      CXC(VIC41. J) =TK++DT/(DXC**2*SF**2*CH*FHOW*2*FSI2(VICM1))
      AXC(HICHI+J)=CXC(HICH1+J)
      CYC(NIC, J) = TKW + DT / (DYC + + 2 + PHOW + CW + 2 . )
      (L, OIF) BYD=(L,CIF) BYA
      AXC(VIC.J) = PSIZ(NIEM1) / PIZ+CXC(NICM1.J)
      CXC(4IC:J) =AXC(4IC:J)
600
      RETURN
      END
```



```
SURPORTING VAROS
DIA M. IOM (F. (C. 71), FO (6. 70), AKE (6. 30), AME (6.30), AMD (6.30),
      14YC(5.37),CXF(6.31),CYF(6.77),CXC(6.70),CYC(6.30).4XCON(6)
      1 .000(15)
       COMMON STATS, CISATE, TV. TC. TP. CIPA OP. O. V. CCR. CMAX, HIF. NJE. NIC. NJC
      1. LWFE. LWFO. LRO, LNA. CXE, CYF. CXC. CYC. CV. V. TL. FL. ASU. ASU. XL, CC. ICRIT
      1. AXE. AYE. AXC. AYC. AV. SV. AS. BE. AC. BC. CIE, CIC. AIE, AIC
      1. MOOT, PMASS, DT. DTD. IX. KE. F. C. BKC. DYC. CL. NUA, CRESIST
      1.WT. DE . SE. NE, SETA, PROSTY.
       PEAL MERKE, MOST. KE, HEG. KW
       SO TO 210
       1+((xAMQ\(VEC)284+11\(1) #5LM=CFUX
       I+ALW+XAMCAVEQ* (ALW-D(F)=AMJX+
       LRO=[74 (XLRO)+INT (2.* (XLRO-TNT (XLRO)))
       TF (L30.6T.(NUE+1)) LP0=NUE+1
       LNA=I IT (XENA) + THT (2. * (XENA-INT (XENA)))
       IF (LNA . LE . (NJA +1) ) 60 TO 101
       IF (LNA.GT.(NUC+1)) GC TO 33
       315 CT 0D
39
       LNA=NUC+1
       on to acc
100
       C+ALM=AMJ
       NJ4P1 = NJ4+1
200
       SUMTC=0.0
       DO 28 JENJAPI, NUC
24
       SUMTO=SUMTC+TOTRICM1.J}
       SUNTC=SUMTO/FLOAT (NJC-NJA)
       IF (SUMIC.GT.125) GO TO 58
       IF (IGRIT-LT-1) SO TO 55
       DO 29 I=1.1000
       V=DT/1330.+(48U-88U*V*XL-V++21/XL+V
       XL=XL+V+DT/1010.
23
       CONTINUE
       IF(XL.ST.(TL+CL/2.)) ICRIT=0
       LOF=INT(FLOAT(NUC-NUA)/2)+INT(XL/UYC)+INT(2*(XL/DYC-INT(XL/DYC)))
       LWFC=NUC-LOF
       IF (LWEC-NUA) 35,73,30
30
       LWFG=NJA
       GO TO 45
      IF(LWFC-1) 41,45,45
35
       XLBD=(XL-TL+CL/2+EL)/cL*NJE
       L + ( ( ( 0 P L X ) + 1 N T ( 2 * ( X L 4 C - 1 N T ( X L 9 C ) ) ) + 1
      IF(L90.ST.(NUE+1)) LB0=NUF+1
45
      GO TO 55
      LHFG=NJO
51
       L90=1
      ICPIT=1
      CONTINUE
      IF (L10.50.1) 60 TO 1201
      Q = V = . .
      90V(1) = .5 °GV
      00V(NUE)=.5*0V
      4J=41=4JE-1
      143 TAS TE SEE OU
ACP
      ひつかいしょ =ロV
      Inn=1
nn 11.3 U=1.9U5
      IF (133.80.1) 60 to 10uc
      254=004(J)*(Tr (MIE-1.J)-TE (MIE.J))+254
      IF (GEV.LT.GMAX) GO TO 1000
      I 7 7 = 1
```

```
ICRITAL
      L90=J+1
       COSTINUE
1300
1061 CONTINUE
      AV:17=3.0
      AVETTV=).
      AVETOVEJ.
      AVETC= ).C
      L 7741=L30-1
      L 1.A 11 = L 1A - 1
      LWFEP1=LWFE+1
      LWFOF1 = LWFC+1
      EACTIVE=FLOAT(LROM1-LNF=P1+1)
      CACTIVE=FLOAT (LMAM1+LWFCP1+1)
      IF(L7).LE.LWFEPI) 60 TO 14
      DO 10 JELWEFP1.LBOM1
      AVETEVEAVETEV+TE(NIF, J)
1?
      AVETERAVETE+TT (NIE+1.J)
      AVETEVEAUTIVE
      AVETEAVATEVEACTIVE
      IF (NUE-LROM1)11,11,12
      EACTIVE=EACTIVE - . 5
11
12
      IF (2-LNFEP1)16,13,13
      EACTIVE= EACTIVE-.5
13
      Gn TO 15
14
      EACTIVE= 7.7
      IF (ENA.LE.LWFOP1) GO TO 24
15
16
      DO 20 JELWEGEL . LNAM1
      AVETOVEAVETOV+TO(MIG.J)
      AVETC=AVETC+IC(NIC-1+J)
20
      AVETOV=AVETOV/CACTIVE
      AVETO=AVETO/CACTIVE
      IF (NUC-LNAM1)21,21,22
      CACTIVE=CACTIVE-.5
21
      TF (2-LHFCP1) 25,23,23
22
      CACTIVE=CACTIVE -. 5
23
      GO TO 25
24
      CACTIVE=C.3
25
      V7=CV7
      00 26 I=1.IX
      TV=AV+EACTIVE+ (AVETE-AVETEV-TV+TVO)+TV
25
     1 + RV + CACTIVE + (AVE TC-TVO-TV+TVO)
      TV=(TV-TVO)*DT/DT/>TVC
      10=010
      WRITE(3,44) LPC. ENA, LWFC. V. XL
      FOPMAT (713,2516.5)
49
997
      F0-441 (+E15.8)
      PETURY
      END
```

```
*MUA+1UA*MIA+1IA+JAIYA+UH, TU-YO-YO-YA-XA-T) GSCISC PHITUCGSUC
      1011,01M,001,00M,L11,L1M,LU1,LUM,NU4,011,001,LWF,LR01
       DIMERSION (6,57),0(3)),W(7),E(7)),E(3),AJ1(6),AX(6,70),
      1AY (0,31), (X(6,30), GY(6,30), A(71), C(30), AX IAL(6)
       MIM1=WI-1
       1-LV = 1PUM
C MAKE I SWEEP
C PICK LIFT HOUNDARY CONDITION
1?
       IF (LJ1-2) 14,15,100
       00 15 I=2.NIM1
14
15
       0 (1) = 4 )1 (1)
       60 TO 106
       10 17 I=2.NIY1
16
       n(I) = (1. - 2. * \Delta Y(I, 1)) * T(I, 1) + 2. * \Delta Y(I, 1) * T(I, 2) + F(I, 1) * \Delta XIAL(I)
17
       60 TO 130
100
       IF (1-4UA)201,800,300
       L I V=2
230
       AIN=0.3
       GO TO 435
30 C
       L [ 1 = L I 1
       114=A11
       CONTINUE
400
       IF (1-LWF) 632 +620 + 500
       IF(1-L30)701,600,600
500
600
       LI0=2
       AID=C.B
       GO TO 936
700
       LIJ=LI4
       MIA=CIA
       CONTINUE
800
       00 1230 I=1.NI
       A(I)=AX(I.1)
1000
       S(I)=C((I,1)
       CALL ROACHE CARCIDINITE FINAL INTLIO.
      ININ, AID, GII, QIM)
      00 40 J=2.NJ#1
00 25 T=2.NJ#1
21
       D(I) = JY(I,J) + I(I,J+1) + AY(I,J) + I(I,J-1)
      1 +(1.-4Y(I.J)-CY(I.J))+T(I.J)+T(I.J)*AXIAL(I)
       90 30 I=1.NI
       T(I,J-1)=W(I)
3 1
       IF(J-NJA)201,201,301
101
201
       LIN=2
       AIN=I.8
       50 10 431
331
       LIN=LI1
       AIN=AI1
       CONTINUE
431
       IF (U-LWF) 501,601,501
       IF(J-180)701.601.601
511
6]1
      LI0=2
       AID=J.B
       60 10 3.1
701
      LIDELIM
       A 10=A14
      CONTINUE
801
      OO IJII I=1.NI
1001
      C(I)=0x(I,J)
      CALL PUNCHE (4.0.0.NI.E.F.W.LIN.LIO.
     INTRACO. QII. DIM
      CONTINUE
40
```



```
C PICK PIGHT COURDARY CONDITION
      90 44 I=2,11141
      D(I)=(1,-2,*AY(I,NJ))*T(I,NJ)+2.*AY(I,NJ)*T(I,NJ+1)
44
     1 *f([,N]) *AKTAL(I)
      00 30 IF1.NI
47
37
      (I) W= (1-UH, I) T
      IF INU-LAF1602+602+502
502
      IF (4U-L30) 7 12,632,632
      LID=2
632
      AID=1.0
      GO TO 432
702
      LID=LI4
      FIA=OIA
802
      CONTINUE
      DO 1312 I=1.NI
      (LN.I) XA=(I) A
1002
     C(I)=C(I)*NJ)
      CALL ROACHE (A.C.D.NI.E.F.W.LII.LIO.
     14I1,4I0,0I1,0IM)
      DO 44 I=1.NI
      (I)W=(UH,I)T
48
C MAKE U SWEEP
      IF (LI1-2) 53,51,53
49
      00 53 J=1.NJ
      D(J)=4[1
50
      50 10 55
      nn 52 J=2.4UM1
51
      9(J)=(1.-2.+AX(1,J))*T(1,J)+2.*AX(1,J)+T(2,J)-CI1*AI1
      GO TO 55
53
      DO 54 J=2.NJM1
      IF(J-4J1)202,202,302
192
202
      LIN=2
      CIN=5.3
      GO TO 402
302
      LIN=LI1
      CIN=CI1
402
      CONTINUE
      D(J)=(1.+2.+AY(1.J)-2.+CIN)+T(1.J)+2.+AX(1.J)+T(2.J)
     1+(2,+0IN)+0I1+T(1,J)+AXIAL(1)
54
      IF (LIN.EG. 1) O(J) =AI1
      DO 1023 J=1.NJ
      A ( J) = A Y ( 1 . J)
1003 D(J)=0Y(1,J)
      CALL POACHE TAICINING EFFINIEUTIEUM.
55
     1AJ1(1),4J4,0J1,0JM)
56
      DO 70 I=2.4141
      DO 50 J=2.11J41
      D(J)=)X(I.J)+T(T+1.J)+AX(T.J)*T(I-1.J)
60
     1 + (1.-AK(I.J)-CX(I.J))**(I.J)**(I.J)*AXIAL(I)
      00 65 J=1.NJ
65
      T(I-1, J) = 4(J)
      00 1004 J=1.NJ
      A(J)=4Y(I.J)
     C(J)=CY(I.J)
1004
      CALL ROACHE (A.C.D.NJ.E.F.W.LJI.LJM.
     IAU1(I), AUM, GU1, AUM)
     COULTHRE
70
C PICK MOTION ROUNDARY CONDITION
      00 75 J=1.NJ
      IF (J-LAC) 73.73.72
      IF (J-63)) /4,73,73
72
73
      D())=(1.-"."Ox(NI,J))*F(NI,J)+2*AX(NI,J)*T(NI-1,J)
     1 +T(N).J) *AXIAL(NI)
      00 10 75
```

```
SUPPONTING ROACHE (A.C.M. MARE, F.W. LI.LM. A1, AM.
      191.741
       31437810M) # (CM) # (CM) # (CM) # (CM) # (CM) # (CM)
       IF (L1-2)1.2.3
1
       元(1)= }
       F (1)=41
       50 to 4
       €(1)=1.
2
       F(1)=-41
       GO FO 4
3
       E(1)=A1/(A1-1.)
       F(1)=01/(1.-A1)
       MH=47+1
       00 5 1=2,4M
       0E4=1.+4(M)+C(M)-\Lambda(M)+2(M-1)
       V 3CN (1) C= (N) 2
5
       F (M) = ( )(M) +A (M)+F (M-1) )/BEN
       IF (LM-2)0,7,8
6
       H ( M )) = A 4
      GO TO 3
       ₩ (MO) = (F (MM) + AM) / (1. - E (MM))
7
       GO TO 3
      M(MA) = (E(MM) + QM/AM)/((1.+AM)/AM-E(MM))
8
9
      00 13 4K=1.4M
      M=40-4K
      A(Y) = (Y) + W(M+1) + F(M)
10
      Scilla:1
      END
```

•

.

```
SURPORTINE OUTPUT
       DI MENGION FE (6,20), FO (6.30), MYS (6,30), MYS (6.30), AXC (6.30)
      1. AYC(0,30). CXF (6,31). CYF (6,71). AXCON(6)
      COMMON STATSANTSATEATVATCATPACTRACPAGEVACCPACMAXANTEANUEANTCANUC
      1.LAFF.LWFG.LBO.LNA.CYE.CYF.CXC.CYG.CV.V.TL.EL.ASU.BSU.XL.CC.ICRIT
     1. AXE.AYE.AXC.AYC.AV.RV.AS.BS.AG.BC.CIE.CTC.AIE.AIC
      1.MODI. RMASS. DT. DTO.IX. KF. P. C. DXC. DYG. CL. NUA. CRESIST
     1.WT.DF. RE.NL. BFIA. POPSTY
      REAL MILIKE . MOOT . KF . HEG . KW
      WPI(E(3.5)
      WPITS (7.10) ET WRITE (7.30)
      00 1 I=1. VIE
       WPITE (3,40) (TE(1,U), U=1, NUE)
      WRITE (3,50) TV,QEV,QMAX
      WPITE (3,50)
       00 2 I=1,NIC
       N=NIG-I+1
      WRITE (3.70) (TO(N.J).J=1.NJC)
MRITE (3.40) TP.QOR.QP
      CORMATO
10
      FORMAT (1X. "ELAPSED TIME".F1.7.1X. "SECONDS")
      FORMAT(5X,"EVAPOPATOR GRIO")
30
43
      FORMATISCES.31
      FORMATIOX."VAPOR TEMPERATURE", FB. 3, 3X, "HEAT IN", FB. 3, 3X,
50
     1 "344X".F8.3.3X."WATTS")
6)
      FORMATISX, "CONDENSER GPID")
      FORMATITOF8.3)
70
      FOR MATISX. "HEAT SINK TEMPERATURE", FR. 3.1X, "HEAT IN", FR. 3.
83
     11X,"HEAT OUT", Fa. 3,1X,"WATTS")
      RETURY
      ENO
```

```
SUAROUTTHE DATAIN
DIMENSION OF 16.721.10(6.71).T(6.70).D(3.1.E(3.1.E(3.1.W(3.1)))
     1.ATI(6).ATO(6).AU1(6).AYE(6.30).AYE(6.30).AXC(6.30).AYG(6.30)
      1, A (53) . 3x = (6, 30) . CYE (6, 30) . CXC(6, 73) . CYC(6, 30) . AXCON(6) . RSI2(6)
      COMMON OFFTS, DIG. TE, TV. TC. TP, DIR. QP, DFV, DCR, GMAX, NIE, NUE, NIC, NUC
     1. LWFF. LAFC. LBD. LNA.CXF. CYE.CXC.CY.C.V.V.TL.EL.ASU.BSU.XL.CC.IGRIT
     1. AXF, AYF, AXC, AYC, AV, RV, AS, RS, AG, RC, CIF, CIC, AIF, AIC
     1.MODI.RMAGS.DI.NFO.IX.KF.R.C.DXC.DYC.CL.NUA.CRESIST
     1.WE.DERPE, NEWSETA, PORSTY
      REAL ME, KE, MODOT, KE, HEG, KW
      PEADC?.FC:NIE.NUE.NIC.NUC.NUA
      PEAD(2.75) LAFE, LRO, LWFG, LNA, ICRIT
      PFA012.30191.05.05.NL.7ETA.P005TY
RFA012.107015.05E
      00 10 I=1.NIE
10
      PF40(2,755) (TE(I,J),J=1,NUE)
      PE40(2:350) TV:V:XL
       00 20 I=1,NIC
      READ (2.473) (TC(I.J), J=1, NJC)
20
      2E40(2,500) 19,008,02
      FORMAT(SIB)
50
      FORMAT (513)
75
80
       FORMAT(3510.5,F6.2,2510.5)
      FOR 1AT (2F8.3)
100
      FORMAT (155). 3)
230
      FOOMAT (F8.3, 2F16.5)
390
435
      FOP4AT (16F3.3)
      F02441 (358.3)
50 C
      RETURN
      END
```



END

```
SUPPOUTING OATAOUT
       DIMORITOR TO GARGE ATO (6.31), 7 (6.72), 0 (3.), 6 (31), F (3.), W (32)
      1. ATF(A), ATO(A), AU1(A), AXE(B, 75), AYE(A, 76), AXC(A, 76), AYC(E, 40)
     1.4(3)).0%_(6,30).0%0(6.30).0%0(6,30).0%0(6,30).4%000(6).6$12(6)
      COMMON TITS, SIGITE, TV, TC. TH, OLP. OP. DEV, COP. GMAX. NIE, MIC. NIC. NUC
      1, LYFE, LWFC, LPO, LNA.CXF, CYE, CXC, CYC, CV, V, TE, EL, ASU, BSU, XE, GC, ICRIT
     1. AXF. AYE. AXC. AYC. AV. BV. AS. 75. AC. BC. CTE. CTC. AIE. AIC
     1,400%, <440%, 0%, 0%0%, KF, R, C, DXC, DYC, CL, NUA, CRESIST
     1. WI, DE. PE, NE, PETA, POPSTY
       PEAL AL, KL, MOOT, KE, HEG, KW
       WPITE(2.5) NNIF, NUE, NIC, NUC, NUA
       WRITE (2.75) LWFF.LPO.LWFO.LNA.IGPIT
       WRITE (2.80) WI. DE, RE. NL. BETA, PORSTY
       WPITE(2,130) TS,05E
       00 10 I=1,NIE
       WRITE(2,200) (TE(I,J),J=1,NUE)
10
       WRITE(2,3J3) TV,V,XL
       DO 23 I=1.NIC
       WPITE (2.451) (TC(I.J),J=1.NJC)
20
       WPITE(2,533) TR,OCR,OF
50
      FORMAT (514)
75
      FOR MAT (SIM)
      FORMAT (3810,5,F6.2,2F18.5)
80
      FCRHAT (2F8.31
100
      FORMAT (15F8.7)
210
      F074AT (58.7,2516.5)
330
      FORMAT(16F3.3)
430
      FORMAT (4F3.3)
510
      PETURY
```

APPENDIX E

DISCUSSION OF STABILITY AND ACCURACY OF NUMERICAL TECHNIQUES

The technique used for solution of the vapor temperature is essentially a one dimensional heat balance of the form:

$$T_{i}^{n+1} = A_{i} T_{i+1}^{n} + B_{i} T_{i-1}^{n} + (1-A_{i}+B_{i}) T_{i}^{n}$$

For stability it is necessary that [16,17,18]

$$(A_i + B_i) \leq 1$$

All elements of A and B are fixed except the time step.

Thus the time step must be adjusted to maintain stability.

In solving for the vapor temperature the coefficients A and B are calculated. New values are then defined by

$$A_{i}' = \frac{A_{i}}{(A_{i} + B_{i})}$$

$$B_{i}' = \frac{B_{i}}{(A_{i} + B_{i})}$$

The solution is then iterated (A + B) times to complete one time step.

The alternating direction implicit method used in this study has an accuracy of $O(\Delta t^2, \Delta x^2, \Delta y^2)$ [16].

According to a von Neumann stability analysis the method is unconditionally stable [16,18]. However in practice this method, although it does permit larger time steps than standard explicit method, will become unstable if time steps used are too large.

APPENDIX F

CALCULATION OF THERMAL CONDUCTIVITY FOR THE WICK

Since the wick is a composite of screen and fluid gaps, a method must be developed for estimating its thermal conductivity.

The thermal conductivity of the fluid gaps is given by the polynomial expression given in Appendix B.

The thermal conductivity of the screen was calculated using the method of Williams [24].

$$K_s = K_{\ell} \frac{\frac{1}{d_f}}{\frac{d_f}{2r_f}} \left[2 \frac{K_{\ell}}{K_p} + \frac{d_f}{2r_f} - 2 \right]$$

$$+ \frac{\frac{d_{\mathbf{f}}}{d_{\mathbf{f}}} \binom{K_{\ell}}{K_{\mathbf{p}}} \left[\frac{2r_{\mathbf{f}}}{d_{\mathbf{f}} - 2r_{\mathbf{f}}} + 1 \right]}$$

$$+ \frac{1}{\left[\frac{2r_{f}}{d_{f}-2r_{f}} + 1\right]^{2}}$$

The overall thermal conductivity is then a weighted average of the values for the screen and fluid. Weighting factors are given by

% screen =
$$\sum_{N=1}^{NL} ln[(r_B-(4r_f+\beta)(N-1))/(r_B-4Nr_f-(N-1)\beta)]$$

% fluid =
$$\sum_{N=1}^{NL-1} ln [(r_B-4Nr_f-(N-1)\beta)/(r_B-(4r_f+\beta)N)]$$

Total thermal conductivity is calculated to be

$$K_w = K_s$$
 (% screen) + K_k (% fluid)

APPENDIX G

ANALOG SCALING

Due to the nature of the analog computer equations must be scaled before they can be solved. This scaling is accomplished by making a change of variable. Each variable in the unscaled equation is non-dimensionalized by some maximum value. For example the unscaled form of equation 4.1 is:

$$\frac{dT_{1}}{dt} = \frac{4\pi \ell_{E} K_{p}}{\rho_{p} c_{p} v_{pE} \ln (r_{0}/r_{B})} (T_{2}-T_{1}) + \frac{2Q_{E}}{\rho_{p} c_{p} v_{pE}}$$

Make the following changes of variable:

$$T^* = \frac{T - T_{\min}}{T_{\max} - T_{\min}}$$

$$Q_E^* = \frac{Q_E}{Q_{max}}$$

$$t* = \frac{t}{t_{max}}$$

gives

$$\frac{(T_{\text{max}} - T_{\text{min}})}{t_{\text{max}}} \frac{dT_{1}^{*}}{dt^{*}} = \frac{4\pi \ell_{E} K_{p} (T_{\text{max}} - T_{\text{min}})}{\rho_{p} c_{p} v_{pE} \ln (r_{0}/r_{B})} (T_{2}^{*} - T_{1}^{*})$$

$$+ \frac{2Q_{E}^{*} Q_{\text{max}}}{\rho_{p} c_{p} v_{pE}}$$

which can be simplified to:

$$\frac{dT_{1}^{*}}{dt^{*}} = \frac{4\pi \ell_{E} K_{p} t_{max}}{\rho_{p} c_{p} v_{pE} \ln (r_{0}/r_{B})} (T_{2}^{*}-T_{1}^{*})$$

$$+ \frac{2 Q_{max} t_{max}}{\rho_{p} c_{p} v_{pE} (T_{max}-T_{min})} Q_{E}^{*}$$

Similar scaling for each equation gives a new system of equations that differs from the first in only the time scaling term.

APPENDIX H

DERIVATION OF EXPONENTIAL MODEL

Assume entire system approximated as lumped mass with composite specific heat. Then

$$m_T c_T \frac{dT}{dt} = Q_{IN} + \dot{m}_f c_f (T_I - T)$$

Define $T^* = (T - T_I)$. Equation becomes

$$m_T c_T \frac{dT^*}{dt} = Q_{IN} - \dot{m}_f c_f T^*$$

This first order differential equation can be solved to give

$$T^* = \frac{Q_{IN}}{{}^{m}_{f}{}^{c}_{f}} (1-e^{-\frac{m_{f}{}^{c}_{f}}{m_{T}{}^{c}_{T}}})$$

and

$$Q_{OUT} = m_f c_f T^*$$

REFERENCES

- 1. Cotter, T. P., "Theory of Heat Pipes," Los Alamos Scientific Laboratory, Report LA-3246-MS, 1965.
- 2. Chisholm, D., The Heat Pipe, Mills and Boon Limited, London, 1971.
- 3. Cotter, T. P., "Heat Pipe Start-up Dynamics," presented 1967, Thermionic Conversion Specialist Conference, October 30, 1967, Palo Alto, California.
- 4. Williams, C. L., and G. T. Colwell, "Heat Pipe Model Accounting for Variable Evaporator and Condenser Lengths," <u>AIAA Journal</u>, Vol. 12, no. 9, pp. 1261-1267, September, 1974.
- 5. Chato, J. C., and J. H. Streckert, "Performance of a Wick-Limited Heat Pipe," ASME Publication 69-HT-20, 1969.
- 6. Kirkpatrick, J. P., and P. J. Brennan, "The Advanced Thermal Control Flight Experiment," presented at the AIAA 8th Thermophysics Conference, Palm Springs, California, July 16-18, 1973.
- 7. Sherman, A., and P. Brennan, "Cryogenic and Low Temperature Heat Pipe/Cooler Studies for Spacecraft Application," presented at the AIAA-ASME 1974 Thermophysics and Heat Transfer Conference, Boston, Massachusetts, July 15-17, 1974.
- 8. Hare, J. D., <u>Performance of a Nitrogen Heat Pipe with Various Capillary Structures</u>, M. S. Thesis, Georgia Institute of Technology, 1975.
- 9. Colwell, G. T., "Prediction of Cryogenic Heat Pipe Performance," Report no. 2, NASA contract NSG-2054, February, 1976.
- 10. Groll, M., Bost, H. Kreeb, Schubert, F. Zimmermann, "Heat Transfer Limits, Lifetests, and Dynamic Behavior of Heat Pipes," Institut fur Kernenergetik, Universitat Stuttgart, Germany.

- 11. Smirnov, F., V. V. Barsookov, and L. N. Mishchenko, "Engineering Methods of Low-Temperature Heat Pipe Designing Calculations," presented at the 2nd International Heat Pipe Conference, Bologna, Italy, March 21-April 2, 1976.
- 12. Rice, G., and E. Azad, "Dynamic Characteristics of Heat Pipes," presented at the 2nd International Heat Pipe Conference, Bologna, Italy, March 31-April 2, 1976.
- 13. Anand, D. K., A. Z. Dybbs, and R. E. Jenkins, "Effect of Condenser Parameters on Heat Pipe Optimization," Journal of Spacecraft, Vol. 4, No. 5, pp. 695-696, May, 1967.
- 14. Calimbas, and Hulett, "An Avionic Heat Pipe," ASME publication 69-HT-16, 1969.
- 15. Cosgrove, J. H., A. Ferrel, and A. Carnesale, "Operating Characteristics of Capillary-Limited Heat Pipes,"

 <u>Journal of Nuclear Energy</u>, 1967, Vol. 21, pp. 547-558.
- 16. Roache, Patrick J., <u>Computational Fluid Dynamics</u>, Hermosa Publishers, Albuquerque, N. M., 1972.
- 17. Clausing, A. M., "Numerical Methods in Heat Transfer," Advanced Heat Transfer, Ed. by B. T. Chao, University of Illinois Press, Chicago, 1969.
- 18. Carnahan, B., H. A. Luther, and J. O. Wilkes, Applied Numerical Methods, Wiley, New York, 1957.
- 19. Eckert, E. R. G., and R. M. Drake, Jr., Analysis of Heat and Mass Transfer, McGraw-Hill, New York, 1972.
- 20. Kreith, F., <u>Principles of Heat Transfer</u>, Second Edition, International Textbook Co., Scranton, PA, 1966.
- 21. Larkin, B. K., "Some Stable Explicit Approximations to the Diffusion Equation," <u>Mathematics of Computation</u>, 18, 196-202, 1964.
- 22. Schwartz, Anthony M., "Capillarity, Theory and Practice," Industrial and Engineering Chemistry, Vol. 61, No. 1, pp. 10-21, January, 1969.
- 23. Scott, Russel B., <u>Cryogenic Engineering</u>, D. Van Nostrand Co., Inc., Princeton, N.J., 1959.

- 24. Williams, C. L., <u>Correlation of Heat Pipe Parameters</u>, Ph.D. Dissertation, Georgia Institute of Technology, 1973.
- 25. National Bureau of Standards, Tech. Note 648, pp. 31-32, December, 1973.
- 26. Saaski, E. W., "Heat Pipe Temperature Control Utilizing a Soluble Gas Absorption Reservoir," NASA CR-137, 792, February, 1976.
- 27. Symons, E. P., "Wicking of Liquids in Screens," NASA TN-D 7657, May, 1974.
- 28. Priester, D. E., "Transient Response of A Cryogenic Heat Pipe", M.S. Thesis, Georgia Institute of Technology, 1976.

1						
					•	
1				•		
1						
1		·				
1						
1						
•						
•						
•						
-						
1						
1						
1						
1						
1						
1						
•						
					•	٠
_	ı					